YIH SHIN
SINCE 1975

SINGLE NEEDLE CLOTH GUIDE ADJUSTABLE FEET

G10-CRL



NEW



1.可以調整左.右攜邊尺寸.
2.車縫布條.可調整大小.0~20mm
1.CAN ADJUSTABLE THE SIZEOF BOTH SIDEON THE EGDE.
2.SEAM CLOTH CAN ADJUSTABLE THE TAPE SIZE.0~20mm

ADJUSTABLE CONCEALED SEAM COMPENSATING FEET

NR-31G



NL-31G



NEW





CONCEALED SEAM
FOR SKIRTS OF SLACKS

YIH SHIN

SINCE 1975

COMPENSATING FEET FOR KNIT



CR1/16NK

CR1/32NK	(210H)
CR1/16NK	(211NH)
CR1/32K	(21H)
CR1/16K	(211H)
CR3/32K	(2111/2H)
CR1/8K	(212H)
CR5/32K	(212 1/2H)
CR3/16K	(213H)
CR1/4K	(214H)
CR5/16K	(215H)
CR3/8K	(216H)
CR1/2K	(218H)



CL1/16NK

CL1/32NK	(220H)
CL1/16NK	(221NH)
CL1/32K	(22H)
CL1/16K	(221H)
CL3/32K	(221 1/2H)
CL1/8K	(222H)
CL5/32K	(222 1/2H)
CL3/16K	(223H)
CL1/4K	(224H)
CL5/16K	(225H)
CL3/8K	(226H)
CL1/2K	(228H)

COMPENSATING FEET



CR1/16N

CR1/32NN	(210RN)
CR 1/16NN	(211NN)
CR1/32N	(210R)
CR1/16N	(211N)
CR1/32E	(21R)
CR1/16E	(211R)
CR3/32E	(2111/2)
CR1/8E	(212R)
CR5/32E	(212 1/2)
CR3/16E	(213R)
CR1/4E	(214R)
CR5/16E	(215R)
CR3/8E	(216R)
CR1/2E	(218R)



CL1/16N

CL1/32NN	(220LN)
CL 1/16NN	(221NN)
CL1/32N	(220L)
CL1/16N	(221N)
CL1/32E	(22L)
CL1/16E	(221L)
CL3/32E	(221-1/2)
CL1/8E	(222L)
CL5/32E	(222 1/2)
CL3/16E	(223L)
CL1/4E	(224L)
CL5/16E	(225L)
CL3/8E	(226L)
CL1/2E	(228L)

COMPENSATING FEET FOR KNIT (STRENGTH)

USE ON THICKNESS OF FABRICS THE SIDE SCREW CAN EASY HOLD THE GUIDE ,SO THE CLOTH CAN SMOOTHLY



CR1/16NS

NEW

SIZE	
CR1/32NS	CR5/32ES
CR1/16NS	CR3/16ES
CR1/32ES	CR1/4ES
CR1/16ES	CR5/16ES
CR3/32ES	CR3/8ES
CR1/8ES	CR1/2ES





CL1/16NS

NEW

SIZE	
CL1/32NS	CL5/32ES
CL1/16NS	CL3/16ES
CL1/32ES	CL1/4ES
CL1/16ES	CL5/16ES
CL3/32ES	CL3/8ES
CL1/8ES	CL1/2ES



YIH SHIN

SINCE 1975

COMPENSATING FEET

CR15N



CR-10N-1.0mm
CR-15N-1.5mm
CR-10 -1.0mm
CR-15 -1.5mm
CR-20 -2.0mm
CR-25 -2.5mm
CR-30 -3.0mm
CR-40 -4.0mm
CR-50 -5.0mm
CR-60 -6.0mm
CR-65 -6.5mm
CR-70 -7.0mm
CR-80 -8.0mm
CR-90 -9.0mm
CR-100 -10 mm
CR-110 -11 mm
CR-130 -13 mm

CL15N



CL-10N-1.0mm
CL-15N-1.5mm
CL-10 -1.0mm
CL-15 -1.5mm
CL-20 -2.0mm
CL-25 -2.5mm
CL-30 -3.0mm
CL-40 -4.0mm
CL-50 -5.0mm
CL-60 -6.0mm
CL-65 -6.5mm
CL-70 -7.0mm
CL-80 -8.0mm
CL-90 -9.0mm
CL-100 -10 mm
CL-110 -11 mm
CL-130 -13 mm

COMPENSATING FEET(SHORT TOE)

CR1/16



CR1/32
CR1/16
CR3/32
CR1/8
CR5/32
CR3/16
CR1/4
CR5/16
CR3/8
CR1/2

CL1/16



CL1/32
CL1/16
CL3/32
CL1/8
CL5/32
CL3/16
CL1/4
CL5/16
CL3/8
CL1/2

COMPENSATING FEET FOR KNIT (STRENGTH)

USE ON THICKNESS OF FABRICS THE SIDE SCREW
CAN EASY HOLD THE GUIDE ,SO THE CLOTH CAN SMOOTHLY

(SHORT TOE)



SIZE (RIGHT)	SIZE (LEFT)
CR1/32S	CL1/32S
CR1/16S	CL1/16S
CR3/32S	CL3/32S
CR1/8S	CL1/8S
CR5/32S	CL5/32S
CR3/16S	CL3/16S
CR1/4S	CL1/4S
CR5/16S	CL5/16S
CR3/8S	CL3/8S
CR1/2S	CL1/2S

ADJUSTABLE PRESSET FOOT (EASY OPPERATE DON'T STOP)

P351KS





YIH SHIN

SINCE 1975

COMPENSATING FEET(DOUBLE)

CD3/16 DOUBLE



CDN-00 (230)
CD-00 (23)
CD-10 (1.0mm)
CD-15 (1.5mm)
CD-20 (2.0mm)
CDN-1/32(D23N)
CD-1/32 (D23)
CDN-1/16(D231N)
CD-1/16 (D231)
CD-1/8 (D232)
CD-3/16 (D233)
CD-1/4 (D234)

23-14-24 DOUBLE



23-13-23
(1/32 -3/16-3/16)
231-13-23
(1/16 -3/16-3/16)
23-14-24
(1/32 -1/4-1/4)
231-14-24
(1/16-1/4-1/4)
23-15-25
(1/32-5/16-5/16)
231-15-25
(1/16-5/16-5/16)

990474-0-01

DUAL COMPENSATING FEET

211-16



21-13 (1/32x3/16)
211-13 (1/16x3/16)
21-14 (1/32x1/4)
211-14 (1/16x1/4)
21-15 (1/32x5/16)
211-15 (1/16x5/16)
21-16 (1/32x3/8)
211-16 (1/16x3/8)
21-18 (1/32x1/2)
211-18 (1/16x1/2)

990474-0-01

8-48



8-32(1/32-1/8)
8-48(1/32-3/16)
8-64(1/32-1/4)
8-80(1/32-5/16)
16-32(1/16-1/8)
16-48(1/16-3/16)
16-64(1/16-1/4)
16-80(1/16-5/16)

PRESSER FOOT WITH GUIDE

SP18-1/4



SP18-1/32
SP18-1/16
SP18-3/32
SP18-1/8
SP18-3/16
SP18-1/4
SP18-5/16
SP18-3/8

SP18L-1/4



SP18L-1/32
SP18L-1/16
SP18L-3/32
SP18L-1/8
SP18L-3/16
SP18L-1/4
SP18L-5/16
SP18L-3/8

YIH SHIN

SINCE 1975

COMPENSATING TEFLON FEET (LIGHT)



RF1/16NK

RF1/32NK (PF210)
RF1/16NK (PF211N)
RF1/32K (PF21R)
RF1/16K (PF211R)
RF3/32K (PF2111/2)
RF1/8K (PF212R)
RF5/32K (PF212 1/2)
RF3/16K (PF213R)
RF1/4K (PF214R)
RF5/16K (PF215R)
RF3/8K (PF216R)
RF1/2K (PF218R)

薄物(LIGHT)



LF1/16NK

LF1/32NK (PF220L)
LF1/16NK (PF221N)
LF1/32K (PF22L)
LF1/16K (PF221L)
LF3/32K (PF221 1/2)
LF1/8K (PF222L)
LF5/32K (PF222 1/2)
LF3/16K (PF223L)
LF1/4K (PF224L)
LF5/16K (PF225L)
LF3/8K (PF226L)
LF1/2K (PF228L)

薄物(LIGHT)

COMPENSATING TEFLON FEET (REGULAR)



RF1/16N

RF1/32N
RF1/16N
RF1/32
RF1/16
RF3/32
RF1/8
RF5/32
RF3/16
RF1/4
RF5/16
RF3/8
RF1/2



LF1/16N

LF1/32N
LF1/16N
LF1/32
LF1/16
LF3/32
LF1/8
LF5/32
LF3/16
LF1/4
LF5/16
LF3/8
LF1/2

COMPENSATING TEFLON FEET (REGULAR)



RF15N

RF-10N-1.0mm
RF-15N-1.5mm
RF-10 -1.0mm
RF-15 -1.5mm
RF-20 -2.0mm
RF-25 -2.5mm
RF-30 -3.0mm
RF-40 -4.0mm
RF-50 -5.0mm
RF-60 -6.0mm
RF-65 -6.5mm
RF-70 -7.0mm
RF-80 -8.0mm
RF-90 -9.0mm
RF-100 -10 mm
RF-120 -12 mm
RF-130 -13 mm



LF15N

LF-10N-1.0mm
LF-15N-1.5mm
LF-10 -1.0mm
LF-15 -1.5mm
LF-20 -2.0mm
LF-25 -2.5mm
LF-30 -3.0mm
LF-40 -4.0mm
LF-50 -5.0mm
LF-60 -6.0mm
LF-65 -6.5mm
LF-70 -7.0mm
LF-80 -8.0mm
LF-90 -9.0mm
LF-100 -10 mm
LF-120 -12 mm
LF-130 -13 mm

YIH SHIN

SINCE 1975

TEFLON HINGED RASING FEET

CF811 RIGHT



CF810 -1/32
CF811 -1/16
CF8115-3/32
CF812 -1/8
CF813 -3/16
CF814 -1/4
CF815 -5/16
CF816 -3/8
CF818 -1/2

CF811L LEFT



CF810L -1/32
CF811L -1/16
CF8115L- 3/32
CF812L -1/8
CF813L -3/16
CF814L -1/4
CF815L -5/16
CF816L -3/8
CF818L -1/2

TEFLON FEET (LIGHT W/TAIL)



SIZE
PF-231-HEAVY
(CF-231-HEAVY)
PF-241-MEDIUM
(CF-241-MEDIUM)
PF-251-LIGHT
(CF-251-LIGHT)

TEFLON FEET (LIGHT WITHOUT TAIL)



SIZE
PF-131-HEAVY
(CF-131-HEAVY)
PF-141-MEDIUM
(CF-141-MEDIUM)
PF-151-LIGHT
(CF-151-LIGHT)

TEFLON FEET (LIGHT)

PFK161
(CFK161)

SIZE
PFK-161-LIGHTEST
(CFK-161-LIGHTEST)
PFK-261-LIGHTEST W/TAIL
(CFK-261-LIGHTEST W/TAIL)





SOLID THE CLOTH
PROOF MOTION

TEFLON FOOT (LINE ON THE CENTER EDGE GUIDE)

PF00
(CF00)





YIH SHIN

SINCE 1975

TEFLON FEET (ZIPPER)



SIZE

CF36N	-4.6mm
CF363	-4.8mm
CF363V	-4.8mm
CF363VNF	-4.8mm
CF3CH	-4.8mm
CF3CSH	-4.8mm
CF36	-8mm
CF361	-8mm
CF36W	-10mm



SIZE

CF36LN	-4.6mm
CF36L	-8mm
CF360	-8mm
CF58N	-8mm
CF36LW	-10mm
CF35	-11mm
CF351	-11mm
CF351W	-12.7mm

TEFLON INVISIBLE FOOT



PF518N
(CF518N)



PF518L
(CF518L)

HINGED RASING FEET



P811 RIGHT

P810	(12463H 1/32)
P811	(12463H 1/16)
P8115	(12463H 3/32)
P812	(12463H 1/8)
P813	(12463H 3/16)
P814	(12463H 1/4)
P815	(12463H 5/16)
P816	(12463H 3/8)
P818	(12463H 1/2)



P811L LEFT

P810L	(L12463H1/32)
P811L	(L12463H 1/16)
P8115L	(L12463H 3/32)
P812L	(L12463H1/8)
P813L	(L12463H3/16)
P814L	(L12463H1/4)
P815L	(L12463H5/16)
P816L	(L12463H3/8)
P818L	(L12463H1/2)

YIH SHIN

SINCE 1975

HINGED PIPING FEET



P69RH-3/16 RIGHT

P69RH1/16 (R36069H1/16)
P69RH1/8 (R36069H1/8)
P69RH3/16 (R36069H3/16)
P69RH1/4 (R36069H1/4)



P69LH-3/16 LEFT

P69LH1/16 (L36069H1/16)
P69LH1/8 (L36069H1/8)
P69LH3/16 (L36069H3/16)
P69LH1/4 (L36069H1/4)

SPECIAL PIPING FEET



P31C1/4 RIGHT

P31C1/8 (12435R 1/8)
P31C3/16 (12435R 3/16)
P31C1/4 (12435R 1/4)



P301C1/4 LEFT

P301C1/8 (31358L1/8)
P301C3/16 (31358L 3/16)
P301C1/4 (31358L1/4)

SPECIAL PIPING FEET



P69R3/8 RIGHT

P69R1/16 (36069R 1/16)
P69R1/8 (36069R 1/8)
P69R3/16 (36069R 3/16)
P69R1/4 (36069R 1/4)
P69R3/8 (36069R 3/8)
P69R1/2 (36069R 1/2)
(26650R 1/8)



P69L3/8 LEFT

P69L1/16 (36069L 1/16)
P69L1/8 (36069L1/8)
P69L3/16 (36069L 3/16)
P69L1/4 (36069L1/4)
P69L3/8 (36069L3/8)
P69L1/2 (36069L1/2)
(26650L 1/8)

YIH SHIN

SINCE 1975

DOUBLE PIPING FEET



P69D-1/4 (DOUBLE)

P69D1/16 (36069DG 1/16)
P69D1/8 (36069DG 1/8)
P69D3/16 (36069DG 3/16)
P69D1/4 (36069DG 1/4)
(26650DG 1/8)

BINDER FOOT



P37

P39 -PLAIN
P37 -SMALLGROVE
P37M-MED. GROVE
P37W-LARGE GROVE

BINDER FEET



A10-01
(12142C)

A10-01- 3/4
A10-01-7/8
A10-01-1"
A10-01-1 1/8
A10-01-1 1/4
A10-01-1 3/8
A10-01-1 1/2

BINDER FOOT (HINGED)



S70F 1/8

S70F-1/16
S70F-1/8
S70F-3/16
S70F-1/4
S70F-5/16
S70F-3/8
S70F-1/2

HEMMIMG & FOLDING FEET



SIZE - A
P3613-9/32
P3619-1/2
P3622-5/8
P3625-3/4
P3610-15/64
P3620-13/32



SIZE - A
P3811 (S538-1/4)
P3819 (S539-1/2)
P3822 (5/8)
P3825 (S540-3/4)
(S541-1"5/16)

YIH SHIN

SINCE 1975

HINGED BINDING FEET

NARROW

RIGHT
CHNR-1/32
(KR-1-1/32)
CHNR-1/16
(KR-1-1/16)
LEFT
CHNL-1/32
(KL-1-1/32)
CHNL-1/16
(KL-1-1/16)



520-4



COMPENSATING BINDING FEET



SIZE
CB 3/4 (601)
CB 1'' (602)
CB 1-1/8 (603)
CB 1-1/4 (604)

HEMMING & FOLDING FEET

S543(CHN)



S544(CHW)



12142AHB



SR-1



SOLID FOLDING FEET

P311
(12143)



P33
(12142)



P34



P344



YIH SHIN

SINCE 1975

BINDING FOOT

P983
(25983)



S545
(P38)



SHIRRING FEET

P50

SIZE
P50N (120828N)
P50 (120828)
P50M (120828M)
P50H (120828H)



3 SCROLL HEMMER FT

2 1/2

SIZE
1 (160344-1/16)
1 1/2(120802-1 1/2)
2 (120938-3/32)
2 1/2 (120803-1/8)
02 (1/8)
3 (120804-5/32)
4 (120805-3/16)
04 (3/16)
5 (120940-7/32)
6 (120806-1/4)
06 (1/4)



ELASTING SHIRRING FEET

A227

SIZE
A227-1/8 (S537-1/8)
A227-3/16 (S537-3/16)
A227-1/4 (S537-1/4)
A227-5/16 (S537-5/16)
A227-3/8 (S537-3/8)
A227-1/2 (S537-1/2)



BINDER FEET

S532(P312SB)



ADJUSTABLE TAPE FEET

S534(A225)



5~50mm

YIH SHIN

SINCE 1975

HINGED TUBE FEET

S10C-1/2

SIZE(CENTER)
S10C-1/8 (P318C 1/8)
S10C-3/16 (P3316C 3/16)
S10C-1/4 (P314C 1/4)
S10C-5/16 (P3516C 5/16)
S10C-3/8 (P338C 3/8)
S10C-1/2 (P312C 1/2)
S10C-5/8 (P358C 5/8)
S10C-3/4 (P334C 3/4)
S10C-1" (P325C1")



S10R-1/2

SIZE(RIGHT)
S10R-1/8 (P318R 1/8)
S10R-3/16 (P3316R 3/16)
S10R-1/4 (P314R 1/4)
S10R-5/16 (P3516R 5/16)
S10R-3/8 (P338R 3/8)
S10R-1/2 (P312R 1/2)
S10R-5/8 (P358R 5/8)
S10R-3/4 (P334R 3/4)
S10R-1" (P325R1")



HINGED TUBE FEET

S10L-1/2

SIZE(LEFT)
S10L-1/8 (P318L1/8)
S10L-3/16 (P3316L3/16)
S10L-1/4 (P314L1/4)
S10L-5/16 (P3516L5/16)
S10L-3/8 (P338L3/8)
S10L-1/2 (P312L1/2)
S10L-5/8 (P358L5/8)
S10L-3/4 (P334L3/4)
S10L-1" (P325L1")



TOP STITCH FEET

P14

SIZE
P10 (36465-1/32)
P11 (36465-1/16)
P115 (36465-3/32)
P12 (36465-1/8)
P13 (36465-3/16)
P14 (36465-1/4)
P15 (36465-5/16)
P16 (36465-3/8)
P18 (36465-1/2)
P01 (36464N)(P10~P14)
P01W (36464W)(P15~18)



SHIRRING FEET

S952(P952)



S950(P950)



P5R



P5W



YIH SHIN

SINCE 1975

SOLID ZIPPER FEET

S530S



S531L



P3
(165010)



P3C
(40322)



SOLID ZIPPER FEET

P3CS
(40322CS)



P311N
(12435N)



P301N
(31358N)



P31
(12435W)



ZIPPER FEET

P301
(31358W)



P363V
(165010H)



P363
(40322SH)



P36N
(12435HN)



YIH SHIN

SINCE 1975

HINGED ZIPPER FEET

P36
(12435HW)



P36W
(12435HXW)



D36NH
DOUBLE

NEW



SOLID CONCEALED ZIPPER FEET (PLASTIC)

2CJ1(尖)
(NP-63P-2)



WHITE/WITH FRONT GUIDE

HINGED ZIPPER FEET

P36LN
(31358HN)



P36L
(31358HW)



D36H
DOUBLE

NEW



SOLID CONCEALED ZIPPER FEET (PLASTIC)

3CJ1(平)
(NP-63P-1)



GREEN

HINGED ZIPPER FEET

P36LW
(31358HXW)



P360
(121947H)



P361
(121905H)



ZIPPER FOOT

S510
ENTER GUIDE FOOT



YIH SHIN

HINGED INVISIBLE ZIPPER FEET

S518L



S518N-G
S518N



S518NE



S518 **SIZE**
S518-2.0mm
S518H-2.5mm



INVISIBLE ZIPPER FEET

S518S



S518A



ZIPPER FEET

P946
(121946)



P58N
(142058N)



P58W
(142058W)



P144H
(12144H)

SIZE
P144H
(12144H)
P144HL
(12144HLD)
P144HLB
(12144HLB)



P35
(24983)



P35K
(24983K)



LIGHT (薄物用)

YIH SHIN
SINCE 1975

HINGED STANDARD FOOT

P351 (52427)



P352



P351K

LIGHT
(薄物用)



P193
(19336)



QUILTER & GUIDE FEET

S524
7/32"~1"



P81
(S523)
1/32"~3/4"



P801
1/32"~3/4"



P803
3/16"~7/8"



QUILTER & GUIDE FEET

P723
(S521)
3/16"~2"



HINGE FOOT

113280
(113280-0-01)



150384-0-01

150789
(150789-0-01)



YIH SHIN
SINCE 1975

FOOT FOR COLLARS & BACK BINDINGSOLID BLANK FOOT

147308(ART.570)



SOLID BLANK FEET

SP-44



SP-60
(S402)



SP-61
(S801)



SOLID BLANK FEET

SP-62
(S802)



SP-63
(S803)



SP-64
(S804)



SP-65
(S400)



STANDARD FEET

P127
(127233)



QUILTER FEET

160342



HINGED PRESSER FEET (HEAVY W/GUARD)

B1511
-543-BBA



特厚物用 MORE HEAVY

HINGED PRESSER FEET

B1524
-522-NBO-A



YIH SHIN
SINCE 1975

STANDARD HINGED FEET

B1524-012-OAO



B1524-012-BBA



B1524-012-OBO



51742-G
51742
(91-051742-03)

SIZE
1.8mm
2.2mm



NYLON RING FOOT

S515
(CF2-S)



SR-DB-W
(TRF-1)



NYLON RING FOOT

SR-DB-R



SR-DB-L



YIH SHIN

SINCE 1975

ROLLER PRESSER FOOT

SDRF



ROLLER FEET

SPK-3



ROLLER FEET WITH GUIDE



(RIGHT)
SIZE
R-810 1/32
R-811 1/16
R-812 1/8
R-813 3/16
R-814 1/4
R-815 5/16

NEW



(LEFT)
SIZE
R-810L 1/32
R-811L 1/16
R-812L 1/8
R-813L 3/16
R-814L 1/4
R-815L 5/16

NEW

ROLLER FEET

R2E



ROLLER FEET (SPECIAL)

R-3

NEW



SIZE
R-1 LIGHT
(HM1-1)
R-2 MEDIUM
(HM1-2)
R-3 HEAVY
(HM1-3)

YIH SHIN

SINCE 1975

ROLLER FEET (SPECIAL)

R-36N

SIZE

R-36N (HM2-3) 5mm
R-36 (HM2-1) 8mm
R-36W 10mm
R-361 (HM1-4) 8mm





R-36LN

SIZE

R-36LN (HM2-4) 5mm
R-36L (HM-2-2)8mm
R-36LW 10mm
R-360 8mm





ROLLER COMPENSATING FEET (SPECIAL)

R-1/16R

SIZE

R-1/32RN(HM1/32) R-1/8R (HM1/8)
R-1/16RN(HM1/16) R-5/32R (HM5/32)
R-1/32R (1/32) R-3/16R (HM3/16)
R-1/16R (1/16) R-1/4R (HM1/4)
R-5/64R (HM5/64) R-5/16R (HM5/16)
R-3/32R (HM3/32)





R-1/16L

SIZE

R-1/32LN R-3/32L
R-1/16LN R-1/8L
R-1/32L R-3/16L
R-1/16L R-1/4L
R-5/64L R-5/16L





ROLLER FOOT

K1 NEEDLE PLATE
K2 FEED DOG
K3 FOOT



CHAIN CUT-OFF FEET

S536



YIH SHIN

SINCE 1975

DOMESTIC HEMMER FEET

H15SH
(2858)

SIZE
2.0mm
2.5mm
3.0mm
4.0mm



DOMESTIC PIPING FEET

H15-69HL

SIZE
1/8 -3.2mm
3/16 -4.8mm
1/4 -6.4mm



DOMESTIC Z-Z FEET

H15Z



COMPENSATING FEET FOR DOMESTIC MACHINES

H15

SIZE
H10-1.0MM
H15-1.5MM (ART.1926/1)
H20-2.0MM
H25-2.5MM (ART.1926/2)
H30-3.0MM (ART.1926/3)
H40-4.0MM (ART.1926/4)
H50-5.0MM (ART.1926/5)
H60-6.0MM (ART.1926/6)



Z/Z DOUBLE COMPENSATING FEET

H15ZZ
(ART. 1929)

SIZE
3.0MM
6.0MM



UNION SPECIAL COMPENSATING FEET

SIZE
US31 -1/32
US311 -1/16
US312 -1/8
US313 -3/16
US314 - 1/4



UNION SPECIAL HINGED FEET

SIZE
61220J
61220P
61320J
US12435HN
US12435HW
US31358HN
US31358HW
US40322SH



MANUL INVISIBLE BLADE FOOT (CUTTER THREAD)

YS-37 (NP-37)







SPECIAL DESIGN FOOT (CUTTER THREAD)



(W/TAIL)
368611



(W/O TAIL)
368607



TEFLON COMPENSATING FOOT

SIZE(RIGHT)

TCR1/32N(MT210)-B
TCR1/16N(MT211N)-B
TCR1/32 (MT21R)-B
TCR1/16 (MT211)-B
TCR3/32 (MT2111/2)-B
TCR1/8 (MT212)-B
TCR3/16 (MT213)-B
TCR1/4 (MT214)-B
TCR5/16 (MT215)-B
TCR3/8 (MT216)-B
TCR1/2 (MT218)-B

(B)



SIZE(LEFT)

TCL1/32N (MT-220)-B
TCL1/16N (MT-221N)-B
TCL1/32 (MT22)-B
TCL1/16 (MT221)-B
TCL3/32 (MT221 1/2)-B
TCL1/8 (MT222)-B
TCL3/16 (MT223)-B
TCL1/4 (MT224)-B
TCL5/16 (MT225)-B
TCL3/8 (MT226)-B
TCL1/2 (MT228)-B

(B)



YIH SHIN

SINCE 1975

TEFLON FOOT

T350
T350B



T35
T35B



T35W
T35WB



T35C
T35CB



TEFLON FOOT

T35CW
T35CWB



T363
T363B



T36N
T36NB



T36
T36B



TEFLON FOOT

T36LN
T36LNB



T36L
T36LB



MT-1
MT-2



(MT-2)

24983T



YIH SHIN

SINCE 1975

QUILTER & GUIDE FEET

P35G

NEW



可以調整左·右擋邊尺寸
CAN ADJUSTABLE THE SIZE OF BOTH SIDE ON THE EGDE

TEFLON FEET

NT-18



NT-18B

HINGED FEET FOR NEEDLE FEED MACHINE

(SINGLE NEEDLE)

PAFF 461 ; 481
DURKOPP CL.272
JUKI DLM-522 ALL USED
(PAGE 24-29)

NEEDLE FEED COMPENSATING FOOT PFAFFCL.461,481 DURKOPP CL.272



SIZE(RIGHT)
210- NF(NARROW-1/32)
211N- NF(NARROW-1/16)
21R- NF(ART.1649/2-1/32)
211- NF(ART.1649/4-1/16)
20R- NF(5/64)
25R- NF(3/32)
212- NF(ART.1649/6-1/8)
213- NF(ART.1649/8-3/16)
214- NF(ART.1649/10-1/4)
215- NF(ART.1649/12-5/16)
216- NF(ART.1649/14-3/8)
218- NF(ART.1649/16-1/2)



SIZE(LEFT)
220- NF(NARROW-1/32)
221N- NF(NARROW-1/16)
22L- NF(ART.1649/1-1/32)
221- NF(ART.1649/3-1/16)
20L- NF(5/64)
25L- NF(3/32)
222- NF(ART.1649/5-1/8)
223- NF(ART.1649/7-3/16)
224- NF(ART.1649/9-1/4)
225- NF(ART.1649/11-5/16)
226- NF(ART.1649/13-3/8)
228- NF(ART.1649/15-1/2)

COMPENSATING FEET FOR KNIT

USE ON THICKNESS OF FABRICS THE SIDE SCREW CAN EASY HOLD THE GUIDE ,SO THE CLOTH CAN SMOOTHLY



SIZE(STRENGTH)
210S- NF(NARROW-1/32)
211NS- NF(NARROW-1/16)
21RS- NF(ART.1649/2-1/32)
211S- NF(ART.1649/4-1/16)
20RS- NF(5/64)
25RS- NF(3/32)
212S- NF(ART.1649/6-1/8)
213S- NF(ART.1649/8-3/16)
214S- NF(ART.1649/10-1/4)
215S- NF(ART.1649/12-5/16)
216S- NF(ART.1649/14-3/8)
218S- NF(ART.1649/16-1/2)



SIZE(STRENGTH)
220S- NF(NARROW-1/32)
221NS- NF(NARROW-1/16)
22LS- NF(ART.1649/1-1/32)
221S- NF(ART.1649/3-1/16)
20LS- NF(5/64)
25LS- NF(3/32)
222S- NF(ART.1649/5-1/8)
223S- NF(ART.1649/7-3/16)
224S- NF(ART.1649/9-1/4)
225S- NF(ART.1649/11-5/16)
226S- NF(ART.1649/13-3/8)
228S- NF(ART.1649/15-1/2)

YIH SHIN

SINCE 1975

NEEDLE FEED W/GUIDE HINGED FEET



SIZE(RIGHT)
SP18-NF 1/32 =1.0mm
SP18-NF 1/16 =1.6mm
SP18-NF 3/32 =2.4mm
SP18-NF 1/8 =3.2mm
SP18-NF 3/16 =4.8mm
SP18-NF 1/4 =6.4mm
SP18-NF 5/16 =8.0mm
SP18-NF 3/8 =9.6mm

NEW



SIZE(LEFT)
SP18L-NF 1/32=1.0mm
SP18L-NF 1/16=1.6mm
SP18L-NF 3/32=2.4mm
SP18L-NF 1/8 =3.2mm
SP18L-NF 3/16=4.8mm
SP18L-NF 1/4 =6.4mm
SP18L-NF 5/16=8.0mm
SP18L-NF 3/8 =9.6mm

NEW

NEEDLE FEED W/GUIDE HINGED FEET



SIZE(RIGHT)
P810-NF 1/32 = 1.0mm
P811-NF 1/16 = 1.6mm
P812-NF 1/8 = 3.2mm
P813-NF 3/16 = 4.8mm
P814-NF 1/4 = 6.4mm
P815-NF 5/16 = 8.0mm
P816-NF 3/8 = 9.6mm

NEW



SIZE(LEFT)
P820-NF 1/32 =1.0mm
P821-NF 1/16 =1.6mm
P822-NF 1/8 = 3.2mm
P823-NF 3/16 = 4.8mm
P824-NF 1/4 = 6.4mm
P825-NF 5/16 = 8.0mm
P826-NF 3/8 = 9.6mm

NEW

NEEDLE FEED PIPING HINGED FEET



SIZE(RIGHT)
P69RH-NF 1/8
P69RH-NF 3/16
P69RH-NF 1/4
P69RH-NF 5/16

NEW



SIZE(LEFT)
P69LH-NF 1/8
P69LH-NF 3/16
P69LH-NF 1/4
P69LH-NF 5/16

NEW

NEEDLE FEED ADJUSTABLE W/GUIDE FEET

G10-NF

NEW



1.可以調整左·右擋邊尺寸·
2.車縫布條·可調整大小·0~20mm
1.CAN ADJUSTABLETHE SIZE
OF BOTH SIDEON THE EGDE.
2.SEAM CLOTH CANADJUSTABLE
THE TAPE SIZE.0~20mm



NEEDLE FEED ADJUSTABLE W/GUIDE FEET

NR31G-NF



NL31G-NF





CONCEALED SEAM
FOR SKIRTS OF SLACKS



YIH SHIN

SINCE 1975

NEEDLE FEED ZIPPER FEET

P35G-NF NEW



可以調整左.右擋邊尺寸.
CAN ADJUSTABLE THE SIZE
OF BOTH SIDE ON THE EGDE.

NEEDLE FEED ROLLER FEET

R-351-NF



NEEDLE FEED W/QULTER GUIDE

P723-NF



5~50mm

NEEDLE FEED ZIPPER FEET

P363-NF(S363-NF)
(ART.1680)

SIZE
P363-NF
5.4mm

P363W-NF
7.0mm
(ART.1688)



5.4mm

P36N-NF(S5000N)
(ART.1684)



5.0mm

P36-NF(S8000N)
(ART.1690)



8.0mm

P361-NF
(S6020N)



8.0mm

NEEDLE FEED ZIPPER FEET

P351N-NF NEW



9mm

P36LN-NF(S0050N)
(ART.1683)



5.0mm

P36L-NF(S0080)
(ART.1689)



8.0mm

P360-NF(S2060N)



8.0mm

YIH SHIN

SINCE 1975

NEEDLE FEED FEET

P351-NF
(S351NF)



11mm

P127-NF
(ART.6643)



12mm

P127WK-NF

LIGHT
薄物用



14mm

P127W-NF
(ART.6644)



14mm

NEEDLE FEED FEET

S518N-NF
(ART.1526/1)



P363VNF



5.0mm

P27
(S5050N)
(149027)
(149085)



12142AHBNF



NEEDLE FEED FEET

B1524-041-EAO



B1524-412-OAO



B1524-412-OBO
(410916)



B1524-415-BBA



YIH SHIN
SINCE 1975

NEEDLE FEED FEET PFAFF CL.461;481 DURKOPP CL.272 JUKIDLM-522

P36D-NF
(ART.6648)
DOUBLE



7mm

S518-NF
(ART.1525/1)



140717-NF
(140717-0-01)
(503541)



MT1-NF
(ART.1602)



MT1-NFB

NEED FEED ADJUSTABLE CLOTH GUIDE FOR NECCHI CL.881

NH-10G

NEW



1.可以調整左.右擋邊尺寸.
2.車縫布條.可調整大小\0~20mm.
1.CAN ADJUSTABLETHE SIZE
OF BOTH SIDEON THE EGDE.
2.SEAM CLOTH CANADJUSTABLE
THE TAPE SIZE. 0~20mm



0~20mm

COMPENSATORE FOOT FOR NECCHI CL.881



(LEFT)
NH8820 (ART.1626/1-1/32)
NH8821 (ART.1626/3-1/16)
NH8821N-1/16(NARROW)

(RIGHT)
NH8810 (ART.1626/2-1/32)
NH8811 (ART.1626/4-1/16)
NH8811N-1/16(NARROW)
NH8812 (ART.1626/5-1/8)
NH8813 (ART.1626/6-3/16)
NH8814 (ART.1626/7-1/4)
NH8815 (ART.1626/8-5/16)
Nh8816 (ART.1626/9-3/8)

NH36LN(ART.1647)



5.4mm

YIH SHIN

SINCE 1975

PRESSER FEET FOR NECCHI CL.881

NH36N
(ART.1648)



5.4mm

NH363
(ART.1646)



5.4mm

NH35
(ART.1551)
(961789-3-00)



11mm

NH351



11mm

PRESSER FEET FOR NECCHI CL.881

NH351W
(ART.1522)
(961761-3-00)



12.7mm

NH127



13mm

NH127W



14mm

THE PRODUCTS INTRODUCE AS BELOW

ZIG-ZAG HINGED FOOT
BROTHER 651.652
SINGER 20U
PFAFF 483etc.

Z-Z MACHINE ADJUSTABLE CLOTH GUIDE FEET

G10-652



1.可以調整左.右擋邊尺寸.
2.車縫布條.可調整大小. 0~20mm
1.CAN ADJUSTABLETHE SIZE OF BOTH SIDEON THE EGDE.
2.SEAM CLOTH CANADJUSTABLE THE TAPE SIZE. 0~20mm

NEW



YIH SHIN

SINCE 1975

Z-Z ROLLER FEET

R-652



SIZE
6mm
12mm

Z-Z HEMMER FEET

652SH



SIZE
3mm
5mm

ZIG-ZAG FEET

652-35
(ART.1468)



3mm

55112B-G
(91-055112)



4.5mm

ZIG-ZAG FEET

54501
54501-G
(91-054501-03C)



1/4(6.4mm)

230ZZ



SIZE
3mm
(ART.1629/3)
5mm
(ART.1629/5)

ZIG-ZAG COMPENSATING FEET

652RZ
(ART.1699)



652LZ
(ART.1699/1)



ZIG-ZAG FOOT

55106
55106-G
(91-055106CX-10)



10mm

541566



10mm

541781



10mm

543939



12mm

YIH SHIN
SINCE 1975

ZIG-ZAG FOOT

MT541566



SIZE
5mm
12mm

MT541566B

112800-0-01



5mm

111994-0-01



12mm

說明如下
ACCOUNT AS BELOW

PFAFF MACHINE ADJUSTABLE CLOTH GUIDE PFAFF CL.141.138.238

PF10G

NEW



1.可以調整左.右擋邊尺寸.
2.車縫布條.可調整大小. 0~20mm
1.CAN ADJUSTABLETHE SIZE OF BOTH SIDEON THE EGDE.
2.SEAM CLOTH CANADJUSTABLE THE TAPE SIZE. 0~20mm



PFAFF FEET CL.141;138;238

611P SIZE(RIGHT)
610NP1/32 (NARROW)
611NP1/16 (NARROW)
611P1/16
612P1/8
613P3/16
614P1/4



621P SIZE(LEFT)
620NP1/32 (NARROW)
621P1/16



630P(DOUBLE)
SIZE
630P1/32
631P1/16



630ZZ(91-0511863-93)



SIZE
3mm
5mm

YIH SHIN

SINCE 1975

PFAFF FEET CL.141;138;238

26473
(91-026473-05)



26474
(91-026474-05)



46682
(91-046682-03)



43522A
(91-043522-03)



PRESSER FEET FOR PFAFF CL142;1242;921;925

54926-1/4



SIZE
54926-3/16
(91-054926-03)
54926-1/4
(91-054926-03)
54926-9/32
(91-054926-03)

PF248



SIZE
PF248
30715-3-00mm4.8
PF260
961044-3-00mm6.0
PF264
961044-3-10mm6.4

PFG248



SIZE
PFG248(1.0mm)
(ART.1651/1-mm4.8-1.0mm)
PFG248(2.0mm)
(ART.1651/1-mm4.8-2.0mm)
PFG264(1.0mm)
(ART.1651/2-mm6.4-1.0mm)
PFG264(2.0mm)
(ART.1651/2-mm6.4-2.0mm)

PFR248



SIZE
PFR248
(ART.1628/1-mm4.8)
PFR264
(ART.1628/2-mm6.4)

PRESSER FEET FOR PFAFF CL.142;1242;921;925

PFD248



SIZE
PFD248
(ART.1639/1-mm4.8)
PFD264
(ART.1639/2-mm6.4)

COPENSATING FEET FOR NECCHI CL.831



(LEFT)
NH8320 (ART.1625/1 -1/32) (NARROW)
NH8321 (ART.1625/4 -1/16)
(RIGHT)
NH8310 (ART.1625/2 -1/32) (NARROW)
NH8311N-1/16 (NARROW)
NH8311 (ART.1625/5 -1/16)
NH8312 (ART.1625/6 -1/8)
NH8313 (ART.1625/7 -3/16)
NH8314 (ART.1625/8 -1/4)
NH8315 (ART.1625/9 -5/16)
NH8316 (ART.1625/10 -3/8)

YIH SHIN

SINCE 1975

HINGED FEET FOR NEEDLE FEED MACHINE CL.831

NH8331D-1/16



DOUBLE
NH8330D-1/32
(ART.1625/3-1/32)
NH8831D-1/16
(ART.1625/3-1/16)

NH363-1
(ART.1643)



5.4mm

NH36N-1
(ART.1642)



5.4mm

NH36LN-1
(ART.1641)



5.4mm

HINGED FEET FOR NEEDLE FEED MACHINE CL.831

CL831-NF1
(ART.1615)



底部
CL831-NFB
(ART.1612/1)

NH36-1



7mm

NH36L-1



7mm

PFAFF CL.442

PF264-1



SIZE
PF248-1
(ART.1694/1 4.8mm)
PF264-1
(ART.1694/2 6.4mm)

PRESSER FOOT FOR PFAFF CL.442

PFG264-2R



SIZE
PFG248-1R
(ART.1695/1 4.8mm)
PFG248-2R
(ART.1695/2 4.8mm)
PFG264-1R
(ART.1696/1 6.4mm)
PFG264-2R
(ART.1696/2 6.4mm)

PFG264-2L



SIZE
PFG248-1L
(ART.1557/1 4.8mm)
PFG248-2L
(ART.1557/2 4.8mm)
PFG264-1L
(ART.1558/1 6.4mm)
PFG264-2L
(ART.1558/2 6.4mm)

YIH SHIN

SINCE 1975

PRESSER FOOT FOR NECCHI CL.971;974;976

NH264N

SIZE
NH248N
(ART.1698/1 4.8mm)
NH264N
(ART.1698/2 6.4mm)



NH264H

SIZE
NH248H
(ART.6645/1 4.8mm)
NH264H
(ART.6645/2 6.4mm)
(HEAVY MATERIALS)



NH264

SIZE
NH248
(ART.1623/1 4.8mm)
(961799-3-00)
NH260
(ART.1623/2 6.0mm)
(961773-3-00)
Nh264
(ART.1623/3 6.4mm)
(961773-3-10)



NHG264H

SIZE
NHG248H
(ART.6646/1 4.8mm)
NHG264H
(ART.6646/2 6.4mm)
(HEAVY MATERIALS)



PRESSER FOOT FOR NECCHI CL.971;974;976

NHG264-2R

SIZE
NHG248-2R
(ART.1652/1 4.8mm)
NHG264-2R
(ART.1652/2 6.4mm)



NHR264

SIZE
NHR248
(ART.1627/1 4.8mm)
NHR264
(ART.1627/2 6.4mm)



NHD264

DOUBLE
NHD248
(ART.1679/1 4.8mm)
NHD264
(ART.1679/2 6.4mm)



THE PRODUCTS INTRODUCE AS BELOW

ADJUSTABLE CLOTH GUIDE FOR DURKOPP MACHINE DURKOPP CL.212

DK-10G



1.可以調整左.右擋邊尺寸.
2.車縫布條.可調整大小. 0~20mm
1.CAN ADJUSTABLETHE SIZE
OF BOTH SIDEON THE EGDE.
2.SEAM CLOTH CANADJUSTABLE
THE TAPE SIZE. 0~20mm

NEW



YIH SHIN

SINCE 1975

PRESSER FOOT FOR DURKOPP CL-212

DKMT-1
(ART.1603)



DKMT-1B

DK36D
(ART.6647)

(DOUBLE)



DK518N



DK518



Dk363
(ART.1623)



DK363W
(ART.1685)



DK36N
(ART.1682)



DK36
(ART.1687)



DK36LN
(ART.1681)



DK36L
(ART.1686)



YIH SHIN

SINCE 1975

PRESSER FEET FOR DUROPP CL-212



DK211

DK21R (ART.1620/2 -1/32)
DK211 (ART.1620/4 -1/16)
DK212 (ART.1620/6 -1/8)
DK213 (ART.1620/8 -3/16)
DK214 (ART.1620/10-1/4)
DK215 (ART.1620/12-5/16)
DK216 (ART.1620/14-3/8)
DK218 (ART.1620/16-1/2)



DK221

DK22L (ART.1620/1 -1/32)
DK221 (ART.1620/3 -1/16)
DK222 (ART.1620/5 -1/8)
DK223 (ART.1620/7 -3/16)
DK224 (ART.1620/9 -1/4)
DK225 (ART.1620/11- 5/16)
DK226 (ART.1620/13- 3/8)
DK228 (ART.1620/15- 1/2)



DK351

(212-1193)
(ART.1309)

7/16



DK127

(212-903)
(ART.6650)

33/64



DK127W

(212-1643)
(ART.1289)

35/64



DK127WK

(212-887)
(ART.1285)

35/64

DURKOPP W/GUIDE HINGED FEET CL.212

DK821-1/16



SIZE
DK-820-1/32
DK-821-1/16
DK-822-1/8
DK-823-3/16
DK-824-1/4
DK-825-5/16

NEW

DK811-1/16



SIZE
DK-810-1/32
DK-811-1/16
DK-812-1/8
DK-813-3/16
DK-814-1/4
DK-815-5/16

NEW

BRASSIERE FOOT W/GUIDE (THE CLOTH EASY PASS THROUGH)



SIZE(RIGHT)
針距-邊距
(NEEDLE)-(EDGE)
S570S- 1/8 -1/32
S570S- 3/16 -1/32
S570S- 1/4 -1/32
S570S- 5/16 -1/32
S570S- 3/8 -1/32
S570S- 1/2 -1/32



SIZE(LEFT)
針距-邊距
(NEEDLE)-(EDGE)
S570SL- 1/8 -1/32
S570SL- 3/16 -1/32
S570SL- 1/4 -1/32
S570SL- 5/16 -1/32
S570SL- 3/8 -1/32
S570SL- 1/2 -1/32

BRASSIERE FOOT W/GUIDE (THE CLOTH EASY PASS THROUGH)



SIZE(RIGHT)
針距-邊距
(NEEDLE)-(EDGE)
S570S- 1/8-1/16
S570S-3/16-1/16
S570S- 1/4-1/16
S570S-5/16-1/16
S570S- 3/8-1/16
S570S- 1/2-1/16



SIZE(LEFT)
針距-邊距
(NEEDLE)-(EDGE)
S570SL- 1/8-1/16
S570SL-3/16-1/16
S570SL- 1/4-1/16
S570SL-5/16-1/16
S570SL- 3/8-1/16
S570SL- 1/2-1/16

YIH SHIN

SINCE 1975

BRASSIERE FOOT W/GUIDE (THE CLOTH EASY PASS THROUGH)



S570SD-1/4-1/32

SIZE(DOUBLE)
針距-邊距
(NEEDLE)-(EDGE)
S570SD-1/8 -1/32
S570SD-3/16-1/32
S570SD-1/4 -1/32



S570SD-1/4-1/16

SIZE(DOUBLE)
針距-邊距
(NEEDLE)-(EDGE)
S570SD-1/8 -1/16
S570SD-3/16-1/16
S570SD-1/4 -1/16



DOUBLE NEEDLE ADJUSTABLE EXTRA CLOTH GUIDE FEET

S570-A25



NEW



SIZE
S570-A25 1/8
S570-A25 3/16
S570-A25 1/4
S570-A25 5/16

調整式 5mm~50mm



DOUBLE NEEDLE ADJUSTABLE CLOTH GUIDE FEET

G10-570

SIZE
G10-570 1/8
G10-570 3/16
G10-570 1/4
G10-570 5/16
G10-570 3/8



NEW

SIZE
1.可以調整左.右擋邊尺寸
2.車縫布條.可調整大小. 0~20mm
1.CAN ADJUSTABLETHE SIZE
OF BOTH SIDEON THE EGDE
2.SEAM CLOTH CANADJUSTABLE
THE TAPE SIZE. 0~20mm



YIH SHIN

SINCE 1975

DOUBLE NEEDLE WITH REMOVABLE GUIDE FEET

NEW

可以調整左.右擋邊尺寸
CAN ADJUSTABLETHE SIZE
OF BOTH SIDEON THE EGDE

SIZE
S570GK-1/8
S570GK-3/16
S570GK-1/4
S570GK-5/16
S570GK-3/8



DOUBLE ROLLER FOOT

SIZE
(NEEDLE)-(OUTER WIDTH)
R-232-1/8 (HM7-1 1/8)
R-248-3/16 (HM7-1 3/16)
R-264-1/4 (HM7-1 1/4)
R-280-5/16 (HM7-1 5/16)
R-295-3/8 (HM7-1 3/8)



ZIG-ZAG MACHINE EDGE GUIDE ADJUSTABLE FEET

G10-457

NEW



1.可以調整左.右擋邊尺寸.
2.車縫布條.可調整大小0~20mm.
1.CAN ADJUSTABLE THE SIZEOF
BOTH SIDE ONTHE EGDE.
2.SEAM CLOTH CANADJUSTABLE
THE TAPE SIZE. 0~20mm



ZIG-ZAG MACHINE ADJUSTABLE EXTRA SIZE FEET

NEW

107-A25



5mm~50mm





YIH SHIN
SINCE 1975

SINGER 457G; 457U ;107W ZIG-ZAG ADJUSTABLE FOOT

S457AT
(503896)



車縫布條.可調整大小
SEAM CLOTH CAN ADJUSTABLETHE TAPE SIZE
5mm~20mm



SINGER 457G; 457U; 107W ZIG-ZAG ADJUSTABLE FOOT

S457AT-G
(503896-G)



車縫布條.可調整大小
SEAM CLOTH CAN ADJUSTABLETHE TAPE SIZE
5mm~20mm



SINGER 457G;457U;107W ZZ REMOVE FEET

107GK





可以調整左.右擋邊尺寸
CAN ADJUSTABLETHE SIZEOF BOTH SIDEON THE EGDE

ZIG-ZAG ELASTIC FEET



107CA
(23771S)

SIZE
107CA-6mm
107CA-8mm
107CA-10mm
107CA-12mm

ZIG-ZAG ROLLER FOOT





SIZE(針孔寬-外徑寬)

NEEDLE SIZE	OUTER WIDTH
R-457-1	7.5 -17.5(HM4-5)
R-457-2	10.5 -20.5(HM4-7)
R-457-3	12.5 -22.5
R-457-4	15 -23.5(HM4-3)

ZIG-ZAG TEFLON COATED FEET



(針孔寬-外徑寬)

NEEDLE SIZE	OUTER WIDTH
CF457-1	5.0 -10
CF457-2	7.5 -12
CF457-3	7.5 -14
CF457-4	10.5 -16
CF457-5	12.5 -19
CF457-6	14.5 -22.5

YIH SHIN

SINCE 1975

ZIG-ZAG PRESSER FOOT For 107W;457G;457U etc.

411314



503660



503736



THE THREAD ENTER THE GROOVE ON THE FRONT SECTION



SIZE- 針孔寬
(NEEDLE HOLE WIDTH)
411314-1 6.5mm
411314-2 7.5mm
411314-3 10.5mm
411314-4 12.5mm
411314-5 14.5mm

ZIG-ZAG PRESSER FOOT For 107W;457G;457U etc.

23705
(266125)



241414



107CR



107CL



COMPENSATING FEET FOR 107W;457G;457U

PF-A1R

RIGHT
PF-A1R



PF-A1L

LEFT
PF-A1L



521ZR



521ZL



YIH SHIN

SINCE 1975

ZIG-HEMMER FOOT

457SH-2.0mm
457SH-2.5mm
457SH-3.0mm
457SH-4.0mm
457SH-5.0mm



ZIG-PRESSER FOOT SINGER 111W; 211W FEET

P375
(241375)



3mm

P375BL



3mm

P882
(229882)



ZIG-ZAG EDGE GUIDE FEET For 107W;457G;457U

107SGR-2





107SGL-2





ZIG-ZAG EDGE GUIDE FEET FOR 107W;457U;457G

107SGR-4





107SGL-4





YIH SHIN

SINCE 1975

ZIG-ZAG BINDER FEET

210562A2



210564A4



ZIG-ZAG BRASSIRE FOOT

適用直線(LONG BOTTOM)　外寬-針孔寬
OUTER WIDTH-NEEDLESINE



NEW

SIZE
457-01X10.2mm -6.2mm
457-02X12 mm -7.5mm
457-03X14 mm -7.5mm
457-04X16 mm -10.5mm
457-05X19 mm -12.5mm
457-06X22 mm -14.5mm

適用轉角(SHORT BOTTOM)　外寬-針孔寬
OUTER WIDTH-NEEDLESINE



NEW

SIZE
457-1X10.2mm-6.2mm
457-2X12 mm-7.5mm
457-3X14 mm-7.5mm
457-4X16 mm-10.5mm
457-5X19 mm-12.5mm
457-6X22 mm-14.5mm

INVISIBLE CUTTER THREAD FEET

282140



282139



YIH SHIN

SINCE 1975

ZIG-ZAG THICKER MATERIAL FEET

503595
503595-G



厚物(HEAVY)

ZIG-ZAG LIGHT MATERIAL FEET

503595HK
503595HK-G



薄物(LIGHT)

ZIG-ZAG THICKER MATERIAL FEET

503689
503689-G



厚物(HEAVY)

ZIG-ZAG LIGHT MATERIAL FEET

503689HK
503689HK-G



薄物(LIGHT)

ZIG-ZAG STANDARD FEET

411215
411215-G

標準押布腳
STANDARD FEET



ZIG-ZAG STANDARD FEET

503818
503818-G

標準押布腳
STANDARD FEET



YIH SHIN

SINCE 1975

SINGLE NEEDLE FOR ALL MACHINE

150384-0-01

可加裝在各廠牌單針安全保護套

THE SAFETY GUARD USE ON ALL KIND OF MACHINE FOR SINGLE NEEDLE.

150384-0-01 →



FOR SINGER SINGLE NEEDLE MACHINES

Classes:95;96;400W;
600w;31-15;241;251
ETC.
NEEDLE GUARD
#G5



FOR PFAFF Classes:

461;462;463;467;469;
483;434;ETC.

NEEDLE GUARD
#19S(#61231A)



FOR SINGER Classes:

112W;212W;ETC.

NEEDLE GUARD
#14R



FOR SINGER Classes:

107W;111W;143W;153K;
153W;457G;ETC.
SINGLE NEEDLE MACHINE

NEEDLE GUARD
#259081
(#225365)



FOR WW DOUBLE NEEDLE MACHINES

NEEDLE GUARD
#22G



FOR SINGER Classes:

108W AND WW SINGLE
NEEDLE MACHINE

NEEDLE BUARD
#16A



3 NEEDLE EDGE GUIDE WITH ROLLER ADJUSTABLE FEET

R-3DW-G10

NEW

1.可以調整左.右擋邊尺寸.
2.車縫布條.可調整大小. 0~20mm
1.CAN ADJUSTABLE THE SIZE OF BOTH SIDE ON THE EGDE.
2.SEAM CLOTH CAN ADJUSTABLE

THE TAPE SIZE.
0~20mm



SIZE
4.8mm
5.6mm
6.4mm

3 NEEDLE EDGE GUIDE WITH ROLLER FEET

R-3DWG

SIZE
4.8mm
5.6mm
6.4mm

可以調整左.右擋邊尺寸
CAN ADJUSTABLE THE SIZE OF BOTH SIDE ON THE EGDE.

NEW



3 NEEDLE TEFLON COATED FOOT

CF3DW

SIZE
4.8mm
5.6mm
6.4mm



YIH SHIN

SINCE 1975

3 STITCHING OVERLOCKED SEAM FOR BROTHER PEGASUS SIRUBA

R3-1(HM6-1-1)



THE DRAWING FOR REFERENCE ONLY,IT BASE ON DIFFERENT OF FEET. （僅供參考,以實物為準）

4 STISCHING OVERLOCKED SEAM FOR YAMATO PEGASUS JUKI

R4-2 (HM6-1-4)



THE DRAWING FOR REFERENCE ONLY,IT BASE ON DIFFERENT OF FEET. （僅供參考,以實物為準）

3 STISCHING OVERLOCKED SEAM FOR YAMATO SIRUBA JUKI PEGASUS

R3-2(HM6-1-3)



THE DRAWING FOR REFERENCE ONLY,IT BASE ON DIFFERENT OF FEET. （僅供參考,以實物為準）

5 STISCHING OVERLOCKED SEAM FOR PEAGUS SIRUBA

R5-1X 3mm(HM6-2-1X 3mm)
R5-1X 5mm(HM6-2-1X 5mm)



THE DRAWING FOR REFERENCE ONLY,IT BASE ON DIFFERENT OF FEET. （僅供參考,以實物為準）

4 STITCHING OVERLOCKED SEAM FOR BROTHER PEGASUS SIRUBA

R4-1(HM6-1-2)



THE DRAWING FOR REFERENCE ONLY, IT BASE ON DIFFERENT OF FEET. （僅供參考,以實物為準）

5 STISCHING OVERLOCKED SEAM FOR JUKI KINTEX

R5-2X 3mm(HM6-2-2X 3mm)
R5-2X 5mm(HM6-2-2X 5mm)



THE DRAWING FOR REFERENCE ONLY,IT BASE ON DIFFERENT OF FEET. （僅供參考,以實物為準）

YIH SHIN

SINCE 1975

TURRET TO TAKE 3 PRESSER FEET

154628-0-01(FOR BROTHER)



(PRESSER FOOT NOT INCLUDED)

MAS-07300-AA0
(FOR JUKI)



#SS1
#PB-3
#NBBF

SCREW/SPRING ITEM NO	LENGTH	APPURTENANCE SUITABLE FOR LENGTH 適 用 配 件 / 尺 寸 表	UNIT PRICE NT$
CFS-1	13.5mm	CR/CL1/32E(K),CR/CL1/16E(K),CR/CL3/32E(K), CR/CL10,CR/CL15,CR/CL20,CR/CL25, 21R,211R,22L,221,211 1/2,221 1/2.	3
CFS-2	14.5mm	CR/CL1/8E(K),CR/CL30,212,222.	3
CFS-3	16mm	CR/CL3/16E(K),CD0.8/1.0mm,213,223,231.	3
CFS-4	17.5mm	CR/CL1/4E(K),CD-20,CR/CL65, CR/CL70,214,224	3
CFS-5	10.5mm	CR/CL1/32N(K),CR/CL1/16N(K), CR/CL10N,CR/CL15N,210,211N,220,221N.	3
CFS-6	20.5mm	CR/CL3/8E(K)CR/CL90,CR/CL95, CR/CL100,216,226,21-16.	3
CFS-7	19mm	CR/CL5/16E(K),CR/CL80,215,225	3
CFS-8	21.5mm	CD-30,D232.	3
CFS-9	18mm	211-14.	3
CFS-10	3mmx0.5	21-14~211-18 (內角螺絲)	3
CFS-11	19.5mm	211-14,21-14	3
CFS-12	19.5mm		3
CFS-13	24mm	CR/CL1/2E(K),21-18,D233.	3
CFS-14	25mm	D234	3
CSP-1	2.5x8mm	CR/CL1/32N(K),CR/CL1/16N(K), (B20)	0.5
CSP-2	2.8x8mm	CR/CL1/32E(K),CR/CL1/2E(K), (B25)	0.5
CSP-4	2.0x8.5mm	211-14,211-18	0.5
CSP-5	3.0x8mm	21R~218,22L~228 ,T36N,T36LN,T363 (B30U)	0.5

CONVERSION TABLE INCH / MILIMETER

(吋) INCH	(mm) MILIMETER	(吋) INCH	(mm) MILIMETER	(吋) INCH	(mm) MILIMETER
1/64''	0.40mm	25/64''	9.92mm	29/32''	23.02mm
1/32''	0.79mm	13/32''	10.32mm	15/16''	23.81mm
3/64''	1.19mm	27/64''	10.72mm	31/32''	24.61mm
1/16''	1.59mm	7/16''	11.11mm	63/64''	25.00mm
5/64''	1.98mm	29/64''	11.51mm	1''	25.40mm
3/32''	2.38mm	15/32''	11.91mm	1-1/ 8''	28.58mm
7/64''	2.78mm	31/64''	12.30mm	1-1/ 4''	31.75mm
1/8''	3.18mm	1/2''	12.70mm	1-3/ 8''	34.93mm
9/64''	3.57mm	33/64''	13.10mm	1-1/2''	38.10mm
5/32''	3.97mm	17/32''	13.49mm	1-3/4''	44.45mm
11/64''	4.37mm	35/64''	13.89mm	2''	50.80mm
3/16''	4.76mm	9/16''	14.29mm	2-1/4''	57.15mm
13/64''	5.16mm	37/64''	14.68mm	2-1/2''	63.50mm
7/32''	5.56mm	19/32''	15.08mm	2-3/4''	69.85mm
15/64''	5.95mm	39/64''	15.48mm	3''	76.20mm
1/4''	6.35mm	5/8''	15.88mm	3-1/4''	82.55mm
17/64''	6.75mm	21/32''	16.67mm	3-1/2''	88.90mm
9/32''	7.14mm	11/16''	17.46mm	3-3/4''	95.25mm
19/64''	7.54mm	23/32''	18.26mm	4''	101.60mm
5/16''	7.94mm	3/4''	19.05mm	4-1/4''	107.95mm
21/64''	8.33mm	25/32''	19.84mm	4-1/2''	114.30mm
11/32''	8.73mm	13/16''	20.64mm	4-3/4''	120.65mm
23/64''	9.13mm	27/32''	21.43mm	5''	127.00mm
3/8''	9.53mm	7/8''	22.23mm	6''	152.40mm

INDEX

02 (1/8).....11
04 (3/16).....11
06 (1/4).....11
1 (160344-1/16).....11
1 1/2 (120-802-1 1/2).....11
107-A25 (5~50mm).....40
107CA-10MM(23771S).....41
107CA-12MM(23771S).....41
107CA-6MM (23771S).....41
107CA-8MM (23771S).....41
107CL.....42
107CR.....42
107GK (外徑19MM~12MM針孔寬)..41
107SGL-2.....43
107SGL-4.....43
107SGR-2.....43
107SGR-4.....43
111994-0-01-12MM(652-12mm).32
112800-0-01-5MM(652-5mm).....32
113280(113280-0-01) 16
12142AHB.....10
12142AHBNF 28
140717-NF(140717).....29
147308 (ART.570).....17
14R.....46
150384-0-01.....46
150789 (150789-0-01).....16
154628-0-01.....48
160342.....17
16-32 (1/16-1/8).....4
16-48 (1/16-3/16).....4
16-64 (1/16-1/4).....4
16-80 (1/16-5/16).....4
16A (490607).....46
19S (61231A).....46
2 (120938-3/32).....11
2 1/2 (120938-1/8).....11
20L-NF (5/64).....24
20LS-NF(5/64).....24
20R-NF (5/64).....24
20RS-NF(5/64).....24
210562A2.....44
210564A4.....44
210-NF (NARROW-1/32).....24
210S-NF (NARROW-1/32).....24
211-13 (1/16x3/16).....4
211-14 (1/16x1/4).....4
211-15 (1/16x5/16).....4
211-16 (1/16x3/8).....4
211-18 (1/16x1/2).....4
21-13 (1/32x3/16) 4
21-14 (1/32x1/4).....4
21-15 (1/32x5/16).....4
21-16 (1/32x3/8).....4
21-18 (1/32x1/2).....4
211-NF (ART.1649/4-1/16).....24
211N-NF (NARROW-1/16).....24
211NS-NF(NARROW-1/16).....24
211S-NF (ART.1649/4-1/16).....24
212-NF (ART.1649/6-1/8).....24
212S-NF (ART.1649/6-1/8).....24
213-NF (ART.1649/8-3/16).....24
213S-NF (ART.1649/8-3/16).....24
214-NF (ART.1649/10-1/4).....24
214S-NF (ART.1649/10-1/4).....24
215-NF (ART.1649/12-5/16).....24
215S-NF (ART.1649/12-5/16).....24
216-NF (ART.1649/14-3/8).....24
216S-NF (ART.1649/14-3/8).....24
218-NF (ART.1649/16-1/2).....24
218S-NF (ART.1649/16-1/2).....24
21R-NF (ART.1649/2-1/32).....24
21RS-NF (ART.1649/2-1/32).....24
220-NF (NARROW-1/32).....24
220S-NF (NARROW-1/32).....24
221-NF (ART.1649/3-1/16).....24
221N-NF (NARROW-1/16).....24
221NS-NF(NARROW-1/16).....24
221S-NF (ART.1649/3-1/16).....24
222-NF (ART.1649/5-1/8).....24
222S-NF (ART.1649/5-1/8).....24
223-NF (ART.1649/7-3/16).....24
223S-NF (ART.1649/7-3/16).....24
224-NF (ART.1649/9-1/4).....24
224S-NF (ART.1649/9-1/4).....24
225-NF (ART.1649/11-5/16).....24
225S-NF (ART.1649/11-5/16).....24
226-NF (ART.1649/16-3/8).....24
226S-NF (ART.1649/13-3/8).....24
228-NF (ART.1649/15-1/2)..... 24
228S-NF (ART.1649/15-1/2).....24
22G.....46
22L-NF (ART.1649/1-1/32).....24
22LS-NF (ART.1649/1-1/32).....24
230ZZ3mm(ART.1629/3).....31
230ZZ5mm(ART.1629/5)).....31
231-13-23 (1/16-3/16-3/16).....4
231-14-24 (1/16-1/4-1/4).....4
231-15-25 (1/16-5/16-5/16).....4
23-13-23 (1/32-3/16-3/16).....4
23-14-24 (1/32-1/4-1/4)..... 4
23-15-25 (1/32-5/16-5/16).....4
23705 (266125).....42
241414 42
24983T.....23
259081 (225365).....46
25L-NF (3/32).....24
25LS-NF (3 /32).....24
25R-NF (3/32).....24
25RS-NF (3 /32).....24
26473 (91-026473-05).....33
26474 (91-026474-05).....33
26650DG-1/8.....9
26650L-1/8.....8
26650R-1/8.....8
282139.....44
282140.....44
2CJ1 (NP-63P-2)(尖).....14
3 (120804-5/32).....11
368607.....22
368611.....22
3CJ1 (NP-63P-1)(平).....14
4 (120805-3/16).....11
411215 (標準型).....45
411215-G (標準型).....45
411314 (標準型).....42
411314-1X 6.5mm (針孔寬).....42
411314-2X 7.5mm (針孔寬).....42
411314-3X10.5mm(針孔寬).....42

*** DK**-DURKOPP ***NH**-NECCHI ***PF**-PFAFF

*** BROTHER * JUKI * PEGASUS * SINGER * TOYOTA * BRUDAN**

INDEX

411314-4X12.5mm(針孔寬).....42
411314-5X14.5mm(針孔寬).....42
43522A(91-043522-03).....33
457-01(適用直行) (10.2— 6.2).....44
457-02(適用直行) (12 — 7.5).....44
457-03(適用直行) (14 — 7.5).....44
457-04(適用直行) (16 —10.5).....44
457-05(適用直行) (19 —12.5).....44
457-06(適用直行) (22 —14.5).....44
457-1(適用轉角) (10.2— 6.2).....44
457-2(適用轉角) (12 — 7.5).....44
457-3(適用轉角) (14 — 7.5).....44
457-4(適用轉角) (16 —10.5).....44
457-5(適用轉角) (19 —12.5).....44
457-6(適用轉角) (22 —14.5).....44
457SH-2.0mm(人字車三卷押腳)....43
457SH-2.5mm(人字車三卷押腳)....43
457SH-3.0mm(人字車三卷押腳)....43
457SH-4.0mm(人字車三卷押腳)....43
457SH-5.0mm(人字車三卷押腳)....43
46682(91-046682-03).....33
5(120940-7/32).....11
503595厚物(HEAVY).....45
503595-G厚物(HEAVY).....45
503595HK薄物(LIGHT).....45
503595HK-G薄物(LIGHT).....45
503660.....42
503689厚物(HEAVY).....45
503689-G厚物(HEAVY).....45
503689HK薄物(LIGHT).....45
503689HK-G薄物(LIGHT).....45
503736.....42
503818(標準型).....45
503818-G(標準型).....45
51742-1.8mm.....18
51742-2.2mm(91-051742-03).....18
51742-G(1.8mm).....18
51742-G(2.2mm)(91-051742-03)....18
520-4.....10
521ZL(521Z).....42
521ZR.....42
541566-10mm.....31
541781-10mm.....31
543939 12mm.....31
54501 (91-054501-03C)....31
54501-G (91-054501-03C)....31
54926-G 1/4 (91-054926-03)..33
54926-G 3/16(91-054926-03).33
54926-G 9/32(91-054926-03).33
55106CX-10mm(91-055106-23/006)..31
55112B-G-4.5mm(91-055112-23/002).31
5G.....46
6 (120806-1/4).....11
610NP (1/32-NARROW).....32
611NP (1/16-NARROW).....32
611P (1/16-RIGHT).....32
61220J.....21
61220P.....21
612P (1/8-RIGHT).....32
61320J.....21
613P (3/16-RIGHT).....32
614P (1/4-RIGHT).....32
620NP (1/32-NARROW).....32
621P (1/16-LEFT).....32
630P (1/32-DOUBLE).....32
630ZZ-3mm(91-0511863-93).32
630ZZ-5mm(91-0511863-93).32
631P (1/16-DOUBLE).....32
652-35 (ART.1468).....31
652LZ (ART.1699/1).....31
652RZ (ART.1699).....31
652SH-3mm.....31
652SH-5mm.....31
8-32 (1/32-1/8).....4
8-48 (1/32-3/16).....4
8-64 (1/32-1/4).....4
8-80 (1/32-5/16).....4
990474-0-01.....4
A10-01-1 1/2 (12142C-1 1/2)....9
A10-01-1 1/4 (12142C-1 1/4)....9
A10-01-1 1/8 (12142C-1 1/8)....9
A10-01-1 3/8 (12142C-1 3/8)....9
A10-01-1" (12142C-1").....9
A10-01-3/4 (12142C-3/4).....9
A10-01-7/8 (12142C-7/8).....9
A227-1/2 (S537-1/2).....11
A227-1/4 (S537-1/4).....11
A227-1/8 (S537-1/8).....11
A227-3/16 (S537-3/16)..... 11
A227-3/8 (S537-3/8).....11
A227-5/16 (S537-5/16).....11
B1511-543-BBA.....17
B1524-012-BBA 18
B1524-012-OAO.....18
B1524-012-OBO.....18
B1524-012-OOC.....18
B1524-041-EAO.....28
B1524-412-OAO.....28
B1524-412-OBO(410916).....28
B1524-415-BBA 28
B1524-522-NBO-A-1/8.....17
CB 1 1/4 (604).....10
CB 1 1/8 (603).....10
CB 1" (602).....10
CB 3/4 (601).....10
CD-00 (23).....4
CD-1/16 (D231).....4
CD-1/32 (D23).....4
CD-1/4 (D234)(CD-64).....4
CD-1/8 (D232)(CD-32).....4
CD-10 (1.0mm).....4
CD-15 (1.5mm).....4
CD-20 (2.0mm).....4
CD-3/16 (D233).....4
CDN-00 (230).....4
CDN-1/32 (D23N).....4
CDN-1/6 (D231N).....4
CF351 11mm.....7
CF35 11mm.....7
CF351W 12.7mm.....7
CF360 8mm.....7
CF361 8mm.....7
CF363 4.8mm.....7
CF363V 4.8mm.....7
CF363VNF 4.8mm.....7
CF36 8mm.....7
CF36L 8mm.....7
CF36LN 4.6mm.....7
CF36LW 10mm.....7

*** DK**-DURKOPP ***NH**-NECCHI ***PF**-PFAFF

*** BROTHER * JUKI * PEGASUS * SINGER * TOYOTA * BRUDAN**

INDEX

CF36N 4.6mm.....7
CF36W 10mm.....7
CF3CH 4.8mm.....7
CF3CSH 4.8mm.....7
CF3DW 4.8mm.....46
CF3DW 5.6mm.....46
CF3DW 6.4mm.....46
CF457-1 (5.0 – 10).....41
CF457-2 (7.5 – 12).....41
CF457-3 (7.5 – 14).....41
CF457-4 (10.5 – 16).....41
CF457-5 (12.5 – 19).....41
CF457-6 (14.5 – 22).....41
CF58N 8mm.....7
CF810-1/32.....6
CF810L-1/32.....6
CF811-1/16.....6
CF8115-3/32.....6
CF8115L-3/32.....6
CF811L-1/16.....6
CF812-1/8.....6
CF812L-1/8.....6
CF813-3/16.....6
CF813L-3/16.....6
CF814-1/4.....6
CF814L-1/4.....6
CF815-5/16.....6
CF815L-5/16.....6
CF816-3/8.....6
CF816L-3/8.....6
CF818-1/2.....6
CF818L-1/2.....6
CHNR-1/16 (KR-1-1/16).....10
CHNR-1/32 (KR-1-1/32).....10
CHNL-1/16 (KL-1-1/16).....10
CHNL-1/32 (KL-1-1/32).....10
CL1/16.....3
CL1/16E (221L).....2
CL1/16ES.....2
CL1/16K (221H).....2
CL1/16N (221N).....2
CL1/16NK (221NH).....2
CL1/16NN (221NN).....2
CL1/16NS.....2
CL1/16S.....3
CL1/2.....3
CL1/2E (228L).....2
CL1/2ES.....2
CL1/2K (228H).....2
CL1/2S.....3
CL1/32.....3
CL1/32E (22L).....2
CL1/32ES.....2
CL1/32K (22H).....2
CL1/32N (220L).....2
CL1/32NK (220H).....2
CL1/32NN (220LN).....2
CL1/32NS.....2
CL1/32S.....3
CL1/4.....3
CL1/4E (224L).....2
CL1/4ES.....2
CL1/4K (224H).....2
CL1/4S.....3
CL1/8.....3
CL1/8E (222L).....2
CL1/8ES.....2
CL1/8K (222H).....2
CL1/8S.....3
CL-100-10mm.....3
CL-10-1.0mm.....3
CL10N-1.0mm.....3
CL-110-11mm.....3
CL-130-13mm.....3
CL-15-1.5mm.....3
CL-15N-1.5mm.....3
CL-20-2.0mm.....3
CL-25-2.5mm.....3
CL3/16.....3
CL3/16E (223L).....2
CL3/16ES.....2
CL3/16K (223H).....2
CL3/16S.....3
CL3/32.....3
CL3/32E (221-1/2).....2
CL3/32ES.....2
CL3/32K (221-1/2H).....2
CL3/32S.....3
CL3/8.....3
CL3/8E (226L).....2
CL3/8ES.....2
CL3/8K (226H).....2
CL3/8S.....3
CL-30-3.0mm.....3
CL-40-4.0mm.....3
CL5/16.....3
CL5/16E (225L).....2
CL5/16ES.....2
CL5/16K (225H).....2
CL5/16S.....3
CL5/32.....3
CL5/32E (222-1/2).....2
CL5/32ES.....2
CL5/32K (222-1/2H).....2
CL5/32S.....3
CL-50-5.0mm.....3
CL-60-6.0mm.....3
CL-65-6.5mm.....3
CL-70-7.0mm.....3
CL-80-8.0mm.....3
CL831-NF1 34
CL831-NFB(ART.1612/1).....34
CL-90-9.0mm.....3
CR1/16.....3
CR1/16E (211R).....2
CR1/16ES.....2
CR1/16K (211H).....2
CR1/16S.....3
CR1/16N (211N).....2
CR1/16NK (21 1NH).....2
CR1/16NN (211NN).....2
CR1/16NS.....2
CR1/2.....3
CR1/2E (218R).....2
CR1/2ES.....2
CR1/2K (218H).....2
CR1/2S.....3
CR1/32.....3
CR1/32E (21R) 2

* **DK**-DURKOPP ***NH**-NECCHI ***PF**-PFAFF

*** BROTHER * JUKI * PEGASUS * SINGER * TOYOTA * BRUDAN**

INDEX

CR1/32ES.....2
CR1/32K (21H) 2
CR1/32N (210R).....2
CR1/32NK (210H).....2
CR1/32NN (210RN).....2
CR1/32NS.....2
CR1/32S.....3
CR1/4.....3
CR1/4E (214R).....2
CR1/4ES.....2
CR1/4K (214H).....2
CR1/4S.....3
CR1/8.....3
CR1/8E (212R).....2
CR1/8ES.....2
CR1/8K (212H).....2
CR1/8S.....3
CR-100-10mm.....3
CR-10-1.0mm.....3
CR-10N-1.0mm.....3
CR-110-11mm.....3
CR-130-13mm.....3
CR-15-1.5mm.....3
CR-15N-1.5mm.....3
CR-20-2.0mm.....3
CR-25-2.5mm.....3
CR3/16.....3
CR3/16E (213R).....2
CR3/16ES.....2
CR3/16K (213H).....2
CR3/16S.....3
CR3/32.....3
CR3/32E (21 1-1/2).....2
CR3/32ES.....2
CR3/32K (211-1/2H).....2
CR3/32S.....3
CR3/8.....3
CR3/8E (216R).....2
CR3/8ES.....2
CR3/8K (216H).....2
CR3/8S.....3
CR-30-3.0mm.....3
CR-40-4.0mm.....3
CR5/16.....3
CR5/16E (215R).....2
CR5/16ES 2
CR5/16K(215H) 2
CR5/16S.....3
CR5/32.....3
CR5/32E (212-1/2).....2
CR5/32ES 2
CR5/32K(212-1/2H).....2
CR5/32S.....3
CR-50-5.0mm.....3
CR-60-6.0mm.....3
CR-65-6.5mm.....3
CR-70-7.0mm.....3
CR-80-8.0mm.....3
CR-90-9.0mm.....3
D-1421-555-DOO.....17
D36H-8.0mm.....14
D36NH-4.8mm.....14
DK-10G (0~20mm)(DK10G-CRL).35
DK127 (212-903)(ART.6650).....37
DK127W (212-1643)(ART.1289)...37
DK127WK(212-887)(ART.1285)...37
DK211 (ART.1620/4-1/16).....37
DK212 (ART.1620/6-1/8).....37
DK213 (ART.1620/8-3/16).....37
DK214 (ART.1620/10-1/4).....37
DK215 (ART.1620/12-5/16).....37
DK216 (ART.1620/14-3/8).....37
DK218 (ART.1620/16-1/2).....37
DK21R (ART.1620/2-1/32).....37
DK221 (ART.1620/3-1/16).....37
DK222 (ART.1620/5-1/8).....37
DK223 (ART.1620/7-3/16).....37
DK224 (ART.1620/9-1/4).....37
DK225 (ART.1620/11-5/16).....37
DK226 (ART.1620/13-3/8).....37
DK228 (ART.1620/15-1/2).....37
DK22L (ART.1620/1-1/32).....37
DK351 (212-1193)(ART.1309)....37
DK36 (ART.1687).....36
DK363 (ART.1623).....36
DK363W (ART.1685).....36
DK36D (ART.6647).....36
DK36L (ART.1686).....36
DK36LN (ART.1681).....36
DK36N (ART.1682).....36
DK518.....36
DK518N.....36
DK-810 1/32.....38
DK-811 1/16.....38
DK-812 1/8.....38
DK-813 3/16.....38
DK-814 1/4.....38
DK-815 5/16.....38
DK-820 1/32.....38
DK-821 1/16.....38
DK-822 1/8.....38
DK-823 3/16.....38
DK-824 1/4.....38
DK-825 5/16.....38
DKMT-1 (ART .1603).....36
DKMT-1B.....36
G10-457 (0~20mm)(G10-457-CRL)....40
G10-570 1/4(0~20mm)(G10-570-CRL).39
G10-570 1/8(0~20mm)(G10-570-CRL).39
G10-570 3/16(0~20mm)(G10-570-CRL).39
G10-570 3/8 (0~20mm)(G10-570-CRL).39
G10-5705/16(0~20mm)(G10-570-CRL).39
G10-652 (0~20mm)(G10-652-CRL).....30
G10-CRL (0~20mm)(G10-CRL).....1
G10-NF (0~20mm)(G10-NF-CRL).....26
H10-1.0mm.....21
H15-1.5mm (ART.1926/1).....21
H15-69HL1/4-6.4mm.....21
H15-69HL1/8-3.2mm.....21
H15-69HL3/16-4.8mm.....21
H15SH 2.0mm(2858).....21
H15SH 2.5mm(2858).....21
H15SH 3.0mm(2858).....21
H15SH 4.0mm(2858).....21
H15ZZ-3.0mm(ART.1929).....21
H15Z.....21
H15ZZ-6.0mm(ART.1929).....21
H20-2.0mm.....21
H25-2.5mm (ART.1926/2).....21

*** DK**-DURKOPP ***NH**-NECCHI ***PF**-PFAFF

*** BROTHER * JUKI * PEGASUS * SINGER * TOYOTA * BRUDAN**

INDEX

H30-3.0mm (AR T.1926/3).....21
H40-4.0mm (AR T.1926/4).....21
H50-5.0mm (AR T.1926/5).....21
H60-6.0mm (AR T.1926/6).....21
K1 NEEDLE PLATE.....20
K2 FEED DOG.....20
K3 FOOT.....20
LF1/16.....5
LF1/16K (PF221L).....5
LF1/16N.....5
LF1/16NK (PF221N).....5
LF1/2.....5
LF1/2K (PF228L).....5
LF1/32.....5
LF1/32K (PF22L).....5
LF1/32N.....5
LF1/32NK (PF220L).....5
LF1/4.....5
LF1/4K (PF224L).....5
LF1/8.....5
LF1/8K (PF222L).....5
LF-100-10mm.....5
LF-10-1.0mm.....5
LF-10N-1.0mm.....5
LF-120-12mm.....5
LF-130-13mm.....5
LF-15-1.5mm.....5
LF-15N-1.5mm.....5
LF-20-2.0mm.....5
LF-25-2.5mm.....5
LF3/16.....5
LF3/16K (PF223L).....5
LF3/32.....5
LF3/32K (PF221 1/2).....5
LF3/8.....5
LF3/8K (PF226L).....5
LF-30-3.0mm.....5
LF-40-4.0mm.....5
LF5/16.....5
LF5/16K (PF225L).....5
LF5/32.....5
LF5/32K (PF222 1/2).....5
LF-50-5.0mm.....5
LF-60-6.0mm.....5
LF-65-6.5mm.....5
LF-70-7.0mm.....5
LF-80-8.0mm.....5
LF-90-9.0mm.....5
MAS-07300-AA0 (#SS1 #PB-3 #NBBF).....48
MT-1.....23
MT1-NF (ART.1602).....29
MT1-NFB.....29
MT-2.....23
MT541566 12mm.....32
MT541566 5mm.....32
MT541566B 12mm.....32
MT541566B 5mm.....32
NH-10G-0~20mm (NH10G-CRL).....29
NH127 13mm.....30
NH127W 14mm.....30
NH248 (ART.1623/1 4.8mm)(#961799-3-00).....35
NH248H (ART.6645/1 4.8mm).....35
NH248N (ART.1698/1 4.8mm).....35
NH260(ART.1623/2 6mm)(#961773-3-00).....35
NH264 (ART.1623/3 6.4mm)(#961773-3-10).....35
NH264H (ART.6645/2 6.4mm).....35
NH264N(ART.1698/2 6.4mm).....35
NH35(ART.1551) (#961789-3-00) 11mm.....30
NH351 11mm.....30
NH351W(ART.1552)(#961761-3-00)12.7mm.....30
NH36-1 7.0mm.....34
NH363 (ART.1646) 5.4mm.....30
NH363-1 (ART.1643) 5.4mm.....34
NH36L-1 7.0mm.....34
NH36LN (ART.1647) 5.4mm.....29
NH36LN-1(ART.1641) 5.4mm.....34
NH36N (ART.1648) 5.4mm.....30
NH36N-1 (ART.1642) 5.4mm.....34
NH8310 (ART.1625/2-1/32)(NARROW).....33
NH8311 (ART.1625/5-1/16).....33
NH8311N-1/16 (NARROW).....33
NH8312 (ART.1625/6-1/8).....33
NH8313 (ART.1625/7-3/16) 33
NH8314 (ART.1625/8-1/4).....33
NH8315 (ART.1625/9-5/6).....33
NH8316 (ART.1625/10-3/8) 33
NH8320 (ART.1625/1-1/32)(NARROW).....33
NH8321 (ART.1625/4-1/16).....33
NH8330D-DOUBLE (ART.1625/3-1/32).....33
NH8331D-DOUBLE (ART.1625/3-1/16).....34
NH8810(ART.1626/2-1/32).....29
NH8811 (ART.1626/4-1/16).....29
NH8811N-1/16(NARROW).....29
NH8812 (ART.1626/5-1/8).....29
NH8813 (ART.1626/6-3/16)..29
NH8814 (ART.1626/7-1/4).....29
NH8815 (ART.1626/8-5/16)...29
NH8816 (ART.1626/9-3/8).....29
NH8820 (ART.1626/1-1/32).....29
NH8821 (ART.1626/3-1/16)...29
NH8821N-1/16(NARROW).....29
NHD248 (ART.1679/1 4.8mm-2.0mm).....35
NHD264 (ART.1679/2 6.4mm-2.0mm).....35
NHG248-2R(ART.1652/1 4.8mm-2.0mm).35
NHG248H(ATR.6646/1 4.8mm-2.0mm).....35
NHG264-2R(ART.1652/2 6.4mm-2.0mm).35
NHG264H (ART.6646/2 6.4mm-2.0mm).....35
NHR248 (ART.1627/1 4.8mm-2.0mm).....35
NHR264 (ART.1627/2 6.4mm-2.0mm).....35
NL-31G.....1
NL31G-NF.....26
NR-31G.....1
NR-31G-NF.....26
NT-18.....24
NT-18B.....24
P01 (36464N).....24
P01W (3646W).....24
P10 (36465-1/32).....24
P11 (36465-1/16).....24
P115 (36465-3/32).....12
P12 (36465-1/8).....12
P127 (127233).....17
P127-NF (ART.6643).....28
P127WK-NF.....28
P127W-NF (ART.6644).....28
P13 (36465-3/16).....12
P14 (36465-1/4).....12

* **DK**-DURKOPP ***NH**-NECCHI ***PF**-PFAFF

*** BROTHER * JUKI * PEGASUS * SINGER * TOYOTA * BRUDAN**

INDEX

P144H (12144H).....15
P144HL (12144HLD).....15
P144HLB (12144HLB).....15
P15 (36465-5/16).....12
P16 (36465-3/8).....12
P18 (36465-1/2).....12
P193 (19336).....16
P27 (S5050N)(149027)(149085).....28
P3 (165010).....13
P301 (31358W).....13
P301C1/4 (31358L 1/4).....8
P301C1/8 (31358L 1/8).....8
P301C3/16 (31358L 3/16).....8
P301N (31358N).....13
P31 (12435W).....13
P311 (12143).....10
P311N (12435N).....13
P31C1/4 (12435R 1/4).....8
P31C1/8 (12435R 1/8).....8
P31C3/16 (12435R 3/16)....8
P33 (12142).....10
P34.....10
P344.....10
P35 (24983).....15
P351 (52427).....16
P351K.....16
P351KS.....3
P351-NF 11mm(S351NF).....28
P351N-NF 9.0mm.....27
P352.....16
P35G.....24
P35G-NF.....27
P35K (24983K).....15
P36 (12435HW).....14
P360 (121947H).....14
P360-NF (S2060N).....27
P361 (121950H).....14
P3610 15/64(5/8).....9
P3613-9/32 (S542-1/2).....9
P3619-1/2 (S542-3/4).....9
P361-NF (S6020N).....27
P3620 13/32 (13/16).....9
P3622-5/8 (S542-7/8).....9
P3625-3/4 (S542-1").....9
P363 (40322SH).....13
P363-NF (S363NF)(ART.1680)..27
P363V (165010H).....13
P363VNF.....28
P363W-NF(ART.1688).....27
P36D-NF (ART.6648).....29
P36L (31358HW).....14
P36LN (31358HN).....14
P36L-NF (S0080)(ART.1689).....27
P36LN-NF (S0050N)(ART.1683)..27
P36LW (31358HXW).....14
P36N (12435HN).....13
P36-NF (S8000N)(ART.1690)... 27
P36N-NF (S5000N)(ART.1684)..27
P36W (12435HXW)..... 14
P375 (241375).....43
P375BL.....43
P37M-MED. GROVE.....9
P37-SMALL GROVE.....9
P37W-LARGE GROVE.....9
P3811-1/4 (S538-1/4).....9
P3819-1/2 (S539-1/2).....9
P3822-5/8 (5/8).....9
P3825-3/4 (S540-3/4").....9
P39-PLAIN.....9
P3C (40322).....13
P3CS (40322CS).....13
P50 (120828).....11
P50H (120828H).....11
P50M (120828M).....11
P50N (120828N).....11
P58N (142058N).....15
P58W (142058W).....15
P5R (P5).....12
P5W.....12
P69D1/16 (36069DG 1/16).....9
P69D1/4 (36069DG 1/4).....9
P69D1/8 (36069DG 1/8).....9
P69D3/16 (36069DG 3/16).....9
P69L1/16 (36069L 1/16).....8
P69L1/2 (36069L 1/2).....8
P69L1/4 (36069L 1/4).....8
P69L1/8 (36069L1/8).....8
P69L3/16 (36069L 3/16).....8
P69L3/8 (36069L 3/8).....8
P69LH1/16 (L36069H1/16).....8
P69LH1/4 (L36069H1/4).....8
P69LH1/8 (L36069H1/8).....8
P69LH3/16 (L36069H3/16).....8
P69LH-NF 1/4.....25
P69LH-NF 1/8.....25
P69LH-NF 3/16.....25
P69LH-NF 5/16.....25
P69R1/16 (36069R 1/16).....8
P69R1/2 (36069R 1/2).....8
P69R1/4 (36069R 1/4).....8
P69R1/8 (36069R 1/8).....8
P69R3/16 (36069R 3/16).....8
P69R3/8 (36069R 3/8).....8
P69RH1/16(R36069H1/16).....8
P69RH1/4 (R36069H1/4).....8
P69RH1/8 (R36069H1/8).....8
P69RH3/16 (R36069H3/16).....8
P69RH-NF 1/4.....25
P69RH-NF 1/8.....25
P69RH-NF 3/16.....25
P69RH-NF 5/16.....25
P723 (S521)(3/16"~2").16
P723-NF 5mm~50mm.....27
P801 (1/32"~3/4")..... 16
P803 (3/16"~7/8")..... 16
P81 (S523)(1/32"~3/4").....16
P810 (12463H 1/32).....7
P810L (L12436H 1/32).....7
P810-NF 1/32 1.0mm.....25
P811 (12463H 1/16).....7
P8115 (12463H 3/32).....7
P8115L (L12463H 3/32).....7
P811L (L12463H 1/16).....7
P811-NF 1/16 1.6mm.....25
P812 (12463H 1/8).....7
P812L (L12463H 1/8).....7
P812-NF 1/8 3.2mm.....25
P813 (12463H 3/16).....7
P813L (L12463H 3/16).....7

*** DK**-DURKOPP ***NH**-NECCHI ***PF**-PFAFF

*** BROTHER * JUKI * PEGASUS * SINGER * TOYOTA * BRUDAN**

INDEX

P813-NF 3/16 4.8mm.....25
P814 (12463H 1/4).....7
P814L (L12463H 1/4).....7
P814-NF 1/4 6.4mm.....25
P815 (12463H 5/16).....7
P815L (L12463H 5/16).....7
P815-NF 5/16 8.0mm.....25
P816 (12463H 3/8).....7
P816L (L12463H 3/8).....7
P816-NF 3/8 9.6mm.....25
P818 (12463H 1/2).....7
P818L (L12463H 1/2).....7
P820-NF 1/32 1.0mm.....25
P821-NF 1/16 1.6mm.....25
P822-NF 1/8 3.2mm.....25
P823-NF 3/16 4.8mm.....25
P824-NF 1/4 6.4mm.....25
P825-NF 5/16 8.0mm.....25
P826-NF 3/8 9.6mm.....25
P882 (229882).....43
P946 (121946).....25
P983 (25983).....11
PF00 (CF00).....6
PF10G-0~20mm(PFG10-CRL).....32
PF-131-HEAVY(CF-131-HEAVY)....6
PF-141-MEDIUM (CF-141-MEDIUM).6
PF-151-LIGHT (CF-151-LIGHT)....6
PF-231-HEAVY (CF-231-HEAVY)...6
PF-241-MEDIUM (CF-241-MEDIUM).6
PF248 (30715-3-00mm4.8).....33
PF248-1 (ART.1694/1 4.8mm).....34
PF-251-LIGHT (CF-251-LIGHT)..6
PF260 (961044-3-00mm6.0).....33
PF264 (961044-3-10mm6.4).....33
PF264-1 (ART.1694/2 6.4mm) 34
PF518L (CF518L).....7
PF518N (CF518N).....7
PF-A1L.....42
PF-A1R.....42
PFD248 (ART.1639/1-mm4.8).....33
PFD264 (ART.1639/2-mm6.4).....33
PFG248 (ART.1651/1-mm4.8-1.0mm)....33
PFG248 (ART.1651/1-mm4.8-2.0mm)....33
PFG264 (ART.1651/2-mm6.4-1.0mm).33
PFG248-1L (ART.1557/1 4.8mm-1.0mm).34
PFG248-1R(ART.1695/1 4.8mm-1.0mm).34
PFG248-2L (ART.1557/2 4.8mm-2.0mm).34
PFG248-2R(ART.1695/2 4.8mm-2.0mm).34
PFG264 (ART.1651/2-mm6.4-2.0mm).33
PFG264-1L (ART.1558/1 6.4mm-1.0mm).34
PFG264-1R (ART.1696/1 6.4mm-1.0mm).34
PFG264-2L (ART.1558/2 6.4mm-2.0mm).34
PFG264-2R (ART.1696/2 6.4mm-2.0mm).34
PFK-161-LIGHTEST(CFK-161).....6
PFK-261-LIGHTEST W/TAIL(CFK-261).....6
PFR248 (ART.1628/1-mm4.8).....33
PFR264 (ART.1628/2-mm6.4).....33
R-1 (HM1-1)LIGHT.....33
R-1/16L.....20
R-1/16LN.....20
R-1/16R.....20
R-1/16RN (HM1/16).....20
R-1/32L.....20
R-1/32LN.....20
R-1/32R.....20
R-1/32RN (HM1/32).....20
R-1/4L.....20
R-1/4R (HM1/4).....20
R-1/8L.....20
R-1/8R (HM1/8).....20
R-2 (HM1-2)MEDIUM.....19
R-232-1/8" (輪子雙針用) HM7-1 1/8.....40
R-248-3/16"(輪子雙針用) HM7-1 3/16....40
R-264-1/4" (輪子雙針用) HM7-1 1/4.....40
R-280-5/16" (輪子雙針用) HM7-1 5/16...40
R-295-3/8" (輪子雙針用) HM7-1 3/8.....40
R2E.....19
R-3 (HM1-3)HEAVY.....19
R-3/16L.....20
R-3/16R (HM3/16).....20
R-3/32L.....20
R-3/32R (HM3/32).....20
R3-1 (HM6-1-1).....47
R3-2 (HM6-1-3).....47
R-351-NF-12mm(HM1-5).....27
R-360-8mm.....20
R-361-8mm (HM1-4).....20
R-36-8mm (HM2-1).....20
R-36L-8mm (HM2-2).....20
R-36LN-5mm (HM2-4).....20
R-36LW-10mm 20
R-36N-5mm (HM2-3).....20
R-36W-10mm.....20
R-3DWG 4.8mm (輪子三本用)..46
R-3DWG 5.6mm (輪子三本用)..46
R-3DWG 6.4mm (輪子三本用)..46
R-3DW-G10 4.8mm (輪子三本用).....46
R-3DW-G10 5.6mm (輪子三本用).....46
R-3DW-G10 6.4mm (輪子三本用).....46
R4-1 (HM6-1-2).....47
R4-2 (HM6-1-4).....47
R-457-1 (17.5-7.5)(HM4-5) (輪子人字車)....41
R-457-2 (20.5-10.5)(HM4-7)(輪子人字車)....41
R-457-3 (22.5-12.5)(輪子人字車).....41
R-457-4 (24.5-14.5)(HM4-3)(輪子人字車)...41
R-5/16L.....20
R-5/16R (HM5/16).....20
R-5/32R (HM5/32).....20
R-5/64L.....20
R-5/64R (HM5/64).....20
R5-1X3mm (HM6-2-1X3mm).....47
R5-1X5mm (HM6-2-1X5mm).....47
R5-2X3mm (HM6-2-2X3mm).....47
R5-2X5mm (HM6-2-2X5mm).....47
R-652-12mm(HM4-1).....31
R-652-6mm.....31
R-810 1/32.....19
R-810L 1/32.....19
R-811 1/16 (HM3-1).....19
R-811L 1/16.....19
R-812 1/8 (HM3-2).....19
R-812L 1/8.....19
R-813 3/16.....19
R-813L 3/16.....19
R-814 1/4.....19
R-814L 1/4.....19
R-815 5/16.....19
R-815L 5/16.....19
RF1/16.....5

*** DK**-DURKOPP ***NH**-NECCHI ***PF**-PFAFF

*** BROTHER * JUKI * PEGASUS * SINGER * TOYOTA * BRUDAN**

INDEX

RF1/16K (PF21 1R).....5
RF1/16N.....5
RF1/16NK (PF211N).....5
RF1/2.....5
RF1/2K (PF218R).....5
RF1/32.....5
RF1/32K (PF21R).....5
RF1/32N.....5
RF1/32NK (PF210).....5
RF1/4.....5
RF1/4K (PF214R).....5
RF1/8.....5
RF1/8K (PF212R).....5
RF-100-10mm.....5
RF-10-1.0mm.....5
RF-10N-1.0mm.....5
RF-120-12mm.....5
RF-130-13mm.....5
RF-15-1.5mm.....5
RF-15N-1.5mm.....5
RF-20-2.0mm.....5
RF-25-2.5mm.....5
RF3/16.....5
RF3/16K (PF213R).....5
RF3/32.....5
RF3/32K (PF211 1/2).....5
RF3/8.....5
RF3/8K (PF216R).....5
RF-30-3.0mm.....5
RF-40-4.0mm.....5
RF5/16.....5
RF5/16K (PF215R).....5
RF5/32.....5
RF5/32K (PF212 1/2).....5
RF-50-5.0mm.....5
RF-60-6.0mm.....5
RF-65-6.5mm.....5
RF-70-7.0mm.....5
RF-80-8.0mm.....5
RF-90-9.0mm.....5
S10C-1" (P325C1").....12
S10C-1/2 (P312C1/2).....12
S10C-1/4 (P314C1/4).....12
S10C-1/8 (P318C1/8).....12
S10C-3/16 (P3316C3/16).....12
S10C-3/4 (P334C3/4).....12
S10C-3/8 (P338C3/8).....12
S10C-5/16 (P3516C5/16).....12
S10C-5/8 (P358C5/8).....12
S10L-1" (P325L1").....12
S10L-1/2 (P312L1/2).....12
S10L-1/4 (P314L1/4).....12
S10L-1/8 (P318L1/8).....12
S10L-3/16 (P3316L3/16).....12
S10L-3/4 (P334L3/4).....12
S10L-3/8 (P338L3/8).....12
S10L-5/16 (P3516L5/16).....12
S10L-5/8 (P358L5/8).....12
S10R-1" (P325R1").....12
S10R-1/2 (P312R1/2).....12
S10R-1/4 (P314R1/4).....12
S10R-1/8 (P318R1/8).....12
S10R-3/16 (P3316R3/16).....12
S10R-3/4 (P334R3/4).....12
S10R-3/8 (P338R3/8).....12
S10R-5/16 (P3516R5/16).....12
S10R-5/8 (P358R5/8).....12
S457AT (503896)5~20mm.....41
S457AT-G (503896-G)5~20mm.....41
S510.....14
S515 (CF2-S).....18
S516 (CFR-S).....18
S518-2.0mm.....15
S518A.....15
S518H-2.5mm.....15
S518L.....15
S518N.....15
S518NE.....15
S518-NF (ART.1525/1).....29
S518N-G.....15
S518N-NF (ART.1526/1).....28
S518S.....15
S524 (7/32"~1").....16
S530S.....13
S531L.....13
S532 (P312SB).....11
S534 (A225).....11
S536.....20
S541" (1-5/16").....9
S543 (CHN).....10
S544 (CHW).....10
S545 (P38).....11
S570-A25 1/8 (5~50mm).....39
S570-A25 3/16(5~50mm).....39
S570-A25 1/4 (5~50mm).....39
S570-A25 5/16 (5~50mm).....39
S570GK-1/4 (可調式雙針靠檔)....40
S570GK-1/8 (可調式雙針靠檔)....40
S570GK-3/16 (可調式雙針靠檔)....40
S570GK-3/8 (可調式雙針靠檔)....40
S570GK-5/16 (可調式雙針靠檔)....40
S570S-1/2-1/16 (針距-邊距).....38
S570S-1/2-1/32 針距 邊距 ...)...38
S570S-1/4-1/16 針距 邊距 ...)..38
S570S-1/4-1/32 針距 邊距 ...)..38
S570S-1/8-1/16 針距 邊距 ...)..38
S570S-1/8-1/32 針距 邊距 ...)..38
S570S-3/16-1/16 針距 邊距 ...)..38
S570S-3/16-1/32 針距 邊距 ...)..38
S570S-3/8-1/16 針距 邊距 ...)..38
S570S-3/8-1/32 針距 邊距 ...)..38
S570S-5/16-1/16 針距 邊距 ...)..38
S570S-5/16-1/32 針距 邊距 ...)..38
S570SD-1/4-1/16 (針距-邊距).....39
S570SD-1/4-1/32 (針距-邊距).....39
S570SD-1/8-1/16 (針距-邊距).....39
S570SD-1/8-1/32 (針距-邊距).....39
S570SD-3/16-1/16 (針距-邊距).....39
S570SD-3/16-1/32 (針距-邊距).....39
S570SL-1/2-1/16 針距 邊距 ...)...38
S570SL-1/2-1/32 針距 邊距 ...)..38
S570SL-1/4-1/16 針距 邊距 ...)..38
S570SL-1/4-1/32 針距 邊距 ...)..38
S570SL-1/8-1/16 針距 邊距 ...)..38
S570SL-1/8-1/32 針距 邊距 ...)..38
S570SL-3/16-1/16 針距 邊距 ...)..38
S570SL-3/16-1/32 針距 邊距 ...)..38
S570SL-3/8-1/16 針距 邊距 ...)..38
S570SL-3/8-1/32 針距 邊距 ...)..38

*** DK**-DURKOPP ***NH**-NECCHI ***PF**-PFAFF

*** BROTHER * JUKI * PEGASUS * SINGER * TOYOTA * BRUDAN**

INDEX

S570SL-5/16-1/16(針距-邊距).....38
S570SL-5/16-1/32(針距-邊距).....38
S70F-1/16.....9
S70F-1/2.....9
S70F-1/4.....9
S70F-1/8.....9
S70F-3/16.....9
S70F-3/8.....9
S70F-5/16.....9
S950 (P950).....12
S952 (P952).....12
SDRF.....19
SP18-1/16 1.6mm.....4
SP18-1/32 1.0mm.....4
SP18-1/4 6.4mm.....4
SP18-1/8 3.2mm.....4
SP18-3/16 4.8mm.....4
SP18-3/32 2.4mm.....4
SP18-3/8 9.6mm.....4
SP18-5/16 8.0mm.....4
SP18L-1/16 1.6mm.....4
SP18L-1/32 1.0mm.....4
SP18L-1/4 6.4mm.....4
SP18L-1/8 3.2mm.....4
SP18L-3/16 4.8mm.....4
SP18L-3/32 2.4mm.....4
SP18L-3/8 9.6mm.....4
SP18L-5/16 8.0mm.....4
SP18L-NF 1/16 1.6mm.....25
SP18L-NF 1/32 1.0mm.....25
SP18L-NF 1/4 6.4mm.....25
SP18L-NF 1/8 3.2mm.....25
SP18L-NF 3/16 4.8mm.....25
SP18L-NF 3/32 2.4mm.....25
SP18L-NF 3/8 9.6mm.....25
SP18L-NF 5/16 8.0mm.....25
SP18-NF 1/16 1.6mm.....25
SP18-NF 3/32 2.4mm.....25
SP18-NF 1/32 1.0mm.....25
SP18-NF 1/4 6.4mm.....25
SP18-NF 1/8 3.2mm.....25
SP18-NF 3/16 4.8mm.....25
SP18-NF 3/8 9.6mm.....25
SP18-NF 5/16 8.0mm.....25
SP-44.....17
SP-60 (S402).....17
SP-61 (S801).....17
SP-62 (S802).....17
SP-63 (S803).....17
SP-64 (S804).....17
SP-65 (S400).....17
SPK-3.....19
SR-1.....10
SR-DB-H (尼龍帶) (TRF-1-R).....18
SR-DB-L.....18
SR-DB-R.....18
SR-DB-W (TRF-1).....18
T35 11mm.....23
T350 11mm.....23
T350B 11mm.....23
T35B 11mm.....23
T35C 11mm.....23
T35CB 11mm.....23
T35CW 12.7mm.....23
T35CWB 12.7mm.....23
T35W 12.7mm.....23
T35WB 12.7mm.....23
T36 10.5mm.....23
T363 6mm.....23
T363B 6mm.....23
T36B 10.5mm.....23
T36L 10.5mm.....23
T36LB 10.5mm.....23
T36LN 6mm.....23
T36LNB 6mm.....23
T36N 6mm.....23
T36NB 6mm.....23
TCL1/16 (MT221).....22
TCL1/16B (MT221B).....22
TCL1/16N (MT221N).....22
TCL1/16NB(MT221NB).....22
TCL1/2 (MT228).....22
TCL1/2B (MT228B).....22
TCL1/32 (MT22).....22
TCL1/32B (MT22B).....22
TCL1/32N (MT220).....22
TCL1/32NB(MT220B).....22
TCL1/4 (MT224).....22
TCL1/4B (MT224B).....22
TCL1/8 (MT222).....22
TCL1/8B (MT222B).....22
TCL3/16 (MT223).....22
TCL3/16B (MT223B).....22
TCL3/32 (MT221 1/2).....22
TCL3/32B (MT221 1/2B).....22
TCL3/8 (MT226).....22
TCL3/8B (MT226B).....22
TCL5/16 (MT225).....22
TCL5/16B (MT225B).....22
TCR1/16 (MT211).....22
TCR1/16B (MT211B).....22
TCR1/16N (MT211N).....22
TCR1/16NB (MT211NB).....22
TCR1/2 (MT218).....22
TCR1/2B (MT218B).....22
TCR1/32 (MT21R).....22
TCR1/32B (MT21RB).....22
TCR1/32N (MT210).....22
TCR1/32NB (MT210B).....22
TCR1/4 (MT214).....22
TCR1/4B (MT214B).....22
TCR1/8 (MT212).....22
TCR1/8B (MT212B).....22
TCR3/16 (MT213).....22
TCR3/16B (MT213B.....22
TCR3/32 (MT211 1/2).....22
TCR3/32B (MT211 1/2B).....22
TCR3/8 (MT216).....22
TCR3/8B (MT216B).....22
TCR5/16 (MT215).....22
TCR5/16B (MT215B).....22
US12435HN 21
US12435HW.....21
US31-1/32 21
US311-1/16 21
US312-1/8 21
US313-3/16 21
US31358HN 21
US31358HW.....21
US314-1/4 21
US40322SH 21
YS-37 (NP-37).....22

*** DK**-DURKOPP ***NH**-NECCHI ***PF**-PFAFF

*** BROTHER * JUKI * PEGASUS * SINGER * TOYOTA * BRUDAN**

YIH SHIN

SINCE 1975

INDUSTRIALSEWING MACHINE PARTS & ACCESSORIES

MANUFACTURING & WHOLESALING



YIH SHIN

SINCE 1975

邑新針車企業有限公司

YIH SHIN SEWING MACHINE CO., LTD

TAIPEI • TAIWAN

©2009 Copyright Yih Shin Sewing Machine Co., Ltd. All rights reserved. * 版權所有 翻印必究

YIH SHIN

SINCE 1975



"YIH SHIN" was established since 1975, we have very good experience, knowledge, and special technical to produce series industrial sewing machine presser foot.
As well as, we have plenty of stock items in our wharehouse, our goals are to help each of you remain competitive ability in a global environment.
In addition , we always design new product to solve the technical difficulty to work, we accept special oder to any customers, as well as, we offen help the factory of the forign countryies and my own country to make most of special design foot.
For example, BROTHER, PEGASUS, SINGER, JUKI, TOYOTA, PFAFF, BRUDAN etc.
YIH SHIN's products are high level and good quality, popular to sell in all the world, our major market in Europe, Japan, American etc.

Your advise and ordering are our pleasure, we will give you best service at anytime,

Sincerely!

YIH SHIN INDUSTRIAL SEWING MACHINE CO., LTD.

PRESIDENT

Ming-Tong Liou

邑新公司創立於1975年，擁有豐富的經驗、專業知識及特殊的設備，生產一系列的工業用縫紉機押布腳。

同時具有充足的庫存可以隨時供應客戶所需，如此才能配合客戶在全球競爭力的提升，這是邑新公司的經營理念。

除此之外，邑新公司經常為客戶設計一些特殊的押腳，以解決技術上操作的困難，並且接受客戶的訂製，同時協助國內外工廠生產許多特殊設計的押腳，例如：兄弟、飛馬、勝家、幸福、豐田、百福、百慕達...等等.

邑新高品質的產品行銷於全世界，主要的市場是在高科技的國家，如歐洲、日本、美國...等等.

你的指教與訂貨是我們的榮幸，無論何時我們將給你最好的服務！

邑新針車企業有限公司 董事長 劉明通



總經理 : 劉運達 yun-ta

YIH SHIN

SINCE 1975

YIH SHIN COMPANY was confirmation and acceptable by most of customers in all the word since 1975.

創立於1975 年，邑新公司的產品在全世界已廣受肯定與好評。

PRECISION DURABLE CREATION
精密 耐用 創新

SO THAT , IN ORDER TO PROTECTION THE USERS SAFETY TO WORK , WE CAN OFFER THE SAFETY FINGER GUARD INSERT THE AVAILABLE DIFFERENT KIND OF PRESSER FOOT AS YOU REQUEST.

為了保護使用者在操作上的安全,我們可以根據客人的所需,提供安全護手,裝置在不同型態的押腳上。

PLEASE REFER THE DRAWING AS FOLLOWING
請參考下列代表型式的護手押腳。



http://www.yihshin.com E-mailys5127@livemail.tw

※Homepage just for reference, please contact to our agent for more details.
本公司網站僅供查詢，欲購本公司產品請洽各大經銷商